

E.I. DUPONT DE NEMOURS & CO,INC -- 347-931,INORGANIC ZINC COATING -- 8010-00-145-0184

=====
Product Identification
=====

Product ID:347-931,INORGANIC ZINC COATING

MSDS Date:01/01/1985

FSC:8010

NIIN:00-145-0184

Kit Part:Y

MSDS Number: BDCDR

=== Responsible Party ===

Company Name:E.I. DUPONT DE NEMOURS & CO,INC

Emergency Phone Num:302-774-2421

CAGE:19898

=== Contractor Identification ===

Company Nam

e:E.I. DUPONT DE NEMOURS & CO

Address:1007 MARKET STREET

Box:City:WILMINGTON

State:DE

ZIP:19898

Country:US

Phone:800-441-7515;800-441-9442

CAGE:18873

Company Name:E.I. DUPONT DE NEMOURS & CO., INC.

Box:1635

CAGE:19898

=====
Composition/Information on Ingredients
=====

Ingred Name:ZINC (SARA III)

CAS:7440-66-6

RTECS #:ZG8600000

Fraction by Wt: 87%

OSHA PEL:10 MG ZNO/M3

ACGIH TLV:10 MG ZNO/M3; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:SOLIDS,HAZARD UNKNOWN,UN

IDENTIFIED

Fraction by Wt: 13%

=====
Hazards Identification
=====

Effects of Overexposure:HEADACHE,NAUSEA,IMPAIRMENT OF REACTION TIME AND COORDINATION.

=====
First Aid Measures
=====

First Aid:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. SKIN:WASH WITH SOAP & WATER. EYES:FLUSH WITH WATER 15 MIN. KEEP WARM AND QUIET
!

=====
Fire Fighting Measures
=====

Flash Point:20-80F TOC

Lower Limits:1.27

Upper Limits:12.0

Extinguishing Media:CO*2, FOAM, DRY CHEM.

Fire Fighting Procedures:USE H*20 TO COOL EXPD CONTRS. USE SCBA & FULL PROT.CLTGH.

Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE IGNITION SOURCES,VENTILATE AREA WELL.ABSORB WITH VERMICULITE OR OTHER MATERIALS, SUCH AS SAWDUST,RAGS,PAPER & PLACE IN CLOSED CONTAINER. USE NON SPARKING TOOLS. WEAR PROPER PROTECTIVE EQUIPMENT DURING CLEAN UP.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AWAY FROM IGNITION SOURCES.KEEP CONTAINERS CLOSED.DO NOT STORE ABOVE 120F.AVOID PHYSICAL DAMAGE.

Other Precautions:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR SMOKING.OBSERVE LABEL PRECAUTIONS.CONTAINERS SHOULD BE GROUNDED WHEN POURING.

=====
Exposure Controls/Personal Protection
=====

Respirat

ory Protection:USE ADEQUAT VENT.CARTRIDG-TYPE RESPIR IF MECH
CONTROLS NOT FEASIBLE.

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV AND LEL.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:USE APPROPRIATE HYGIENE PRACTICES.

Supplemental Safety and Health

NO SPECIFIC MSDS FOR ZINC.SAFETY INFO FOR KIT.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:176-347F

Vapor Pres:37

Vapor Density:3.14

Spec Gravity:

2.59

Evaporation Rate & Reference: