

STIC-ADHESIVE PRODUCTS CO INC -- AA-857A -- 8010-00-160-5787

=====  
Product Identification  
=====

Product ID:AA-857A

MSDS Date:01/01/1985

FSC:8010

NIIN:00-160-5787

MSDS Number: BDDFW

=== Responsible Party ===

Company Name:STIC-ADHESIVE PRODUCTS CO INC

Address:3950 MEDFORD ST

City:LOS ANGELES

State:CA

ZIP:90063-1675

Country:US

CAGE:59142

=== Contractor Identification ===

Company Name:STIC-ADHESIVE P

RODUCTS CO INC

Address:3950 MEDFORD ST

Box:City:LOS ANGELES

State:CA

ZIP:90063-1675

Country:US

CAGE:59142

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SOLVENTS

Fraction by Wt: 100%

ACGIH TLV:95 PPM

=====  
Hazards Identification  
=====

Effects of Overexposure:DRIES SKIN. INHALING MAY CAUSE ANESTHESIA,  
HEADACHE, DIZZINESS - UPPER RESPIRATORY IRRITATION.

=====  
First Aid Measures  
=====

First Aid:INHALATION-MOVE TO FRESH AIR; ARTIFICIAL RESPIRATION IF NECESSARY. CALL DOCTOR. SKIN-WASH WITH SOAP & WATER, APPLY MILD SKIN CREAM. SEVERAL CASES-CALL DOCTOR. EYE-FLUSH WITH WATER; CALL DOCTOR. INGESTION- CALL DOCTOR.

===== Fire Fighting Measures =====

Flash Point:20F, -7C TCC

Extinguishing Media:FOAM, CO, DRY CHEMICALS

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS. WATER MAY BE UNSUITABLE

Unusual Fire/Explosion Hazard

d:AVOID SPARKS, FIRE OR HOT METAL SURFACES.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID SPARKS, FIRE OR HOT METAL SURFACES-FLUSH WITH WATER INTO NON-HAZARDOUS RETAINING AREA OR CONTAINER. SMALL QUANTITIES MAY BE ABSORBED ON APPROPRIATE ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP COOL & AWAY FROM SOURCES OF IGNITION. USE WITH ADEQUATE VENTILATION.

Other Precautions:

AVOID PERSONAL CONTACT. WASH OFF SPILLED LIQUID. REMOVE WET CLOTHING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:DEPENDS ON CONC. ABOVE TIME-WEIGHED TLV, CARTRIDGE RESPIRATOR OR MASK

Ventilation:SUFFICIENT TO KEEP AREA BELOW TLV

Protective Gloves:IMPERMEABLE

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:IMPERMEABLE APRON, IMPERMEABLE GLOVES OR BARRIER CREAM.

Supplemental Safety and Health

===== Ph =====

ysical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:192-239F

Vapor Pres:56

Vapor Density:3.3

Spec Gravity:0.822

Evaporation Rate & Reference:2.4/BUAC

Solubility in Water:MODERATE

Appearance and Odor:CLEAR, COLORLESS LIQUID

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS; STRONG ACIDS & BASES; SELECTED AMINES.

Stability Condition to Avoid:HEAT, SPARKS, OPEN

FLAMES, FIRE

Hazardous Decomposition Products:MAY YIELD CO OR CO2

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF  
IN ACCORDANCE WITH STATE, LOCAL OR FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied,  
warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.