View NSN Online: https://aerobasegroup.com/nsn/8030-00-174-2588 CHILDERS PRODUCTS CO., INC. -- CP-30 CHIL-PERM ______ MSDS Safety Information _____ FSC: 8030 NIIN: 00-174-2588 MSDS Date: 01/01/1991 MSDS Num: BDFMX Product ID: CP-30 CHIL-PERM MFN: 01 Responsible Party Cage: 3K675 Name: CHILDERS PRODUCTS CO., INC. Address: 2061 HARTEL ST City: LEVITTOWN PA 19057 Inf o Phone Number: 215-943-7600 Emergency Phone Number: 800-424-9300(CHEMTREC) Preparer's Name: ROBERT ANDREWS Proprietary Ind: Y Published: Y ______ Contractor Summary _____ Cage: 3K675 Name: CHILDERS PRODUCTS CO INC Address: 2061 HARTEL ST City: BRISTOL PA 19007-0505 Phone: UNKNOWN ______ Item Description Information _____ _____ Item Manager: GSA Item Name: SEALING COMPOUND Specification Number: MIL-C-19565 Type/Grade/Class: TYPE 2 Unit of Issue: GL UI Container Qty: 4 ______ Ingredients ______ Name: *** PROPRIETARY *** _____ Health Hazards Data ______ Signs And Symption

s Of Overexposure: NARCOSIS

First Aid: REMOVE FROM CONTAMINATED AREA

Handling and Disposal

Spill Release Procedures: NORMAL FLAMMABLE LIQUID PROCEDURES

Waste Disposal Methods: MFR RECOMMENDS NORMAL FLAMMABLE LIQUID PROCEDURES.

DISPOSAL METHOD MUST BE IAW FED, STATE & DISPOSAL CODES.

Handling And Storage Precautions: RED LABEL PRODUCT Other Precautions: SPEC: TYPE II. CONTAINER: 1 GA

L CAN

Fire and Explosion Hazard Information

Flash Point Method: TCC Flash Point Text: 85F,29C

Extinguishing Media: FOAM, CO*2, OR DRY CHEMICAL.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPRVD SCBA & DILL PROT EQUIP(FP N). H*20 MAY BE HELPFUL IN KEEPING ADJACENT CNTNRS COOL. AVOID SPREADING

BURNING LIQ W/H*20 USED FOR(SUPP DATA)
Unusual Fire/Explosion Hazard: KEEP WORK AREAS F

REE OF HOT METAL AND OTHER

SOURCES OF IGNITION.

Control Measures

Respiratory Protection: NIOSH/MSHA APPRVD INDIVIDUAL FUME MASKS-IF REQUIRED.

Ventilation: LOCAL-RECOMMENDED Eye Protection: RECOMMENDED

Supplemental Safety and Health: INGRED: ANTIOXIDANT 2246, CALCIUM

SULFATE, CALCIUM CARBONATE, CPE

Physical/Chemical Properties

=

B.P. Text: >220F,>104C

Spec Gravity: 1.2

Evaporation Rate & Evaporation R

Solubility in Water: NEGLIGIBLE

Appearance and Odor: WHITE THICK, PAINT-LIKE MATERIAL WITH NAPHTHA ODOR.

Percent Volatiles by Volume: 67

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MA

NUFACTURER. Materials To Avoid: THIS PRODUCT IS INCOMPATIBLE WITH OXIDIZING AGENTS, STRONG ACIDS AND BASES, AND SELECTED AMINES. Hazardous Polymerization Indicator: NO ______ **Toxicological Information** _____ ______ **Ecological Information** ______ ______ **MSDS** Transport Information ______ _____ Regulatory Information _____ ______ Other Information _____ Transportation Information _____ Responsi

ble Party Cage: 3K675 Trans ID NO: 53465

Product ID: CP-30 CHIL-PERM MSDS Prepared Date: 01/01/1991

Review Date: 06/14/1995

MFN: 1

Multiple KIT Number: 0

Review IND: Y Unit Of Issue: GL Container QTY: 4

Detail DOT Information

DOT PSN Code: AFT

DOT Proper Shipping Name: ADHESIVES,

DOT PSN Modifier: CONTAINING A FLAMMABLE LIQUID

Hazard Class: 3 UN ID Num: UN1133 DOT Packaging Group: III Label: FLAMMABLE LIQUID Special Provision: B1,B52,T7,T30

Packaging Exception: 150

Non Bulk Pack: 173 Bulk Pack: 242 Max Qty Pass: 60 L Max Qty Cargo: 220 L Vessel Stow Req: A

Detail IMO Information

IMO PSN Code: AIL

IMO Proper Shipping Name: ADHESIVES,

IMO PSN Modifier: CONTAINING A FLAMMABLE LIQUID o

IMDG Page Number: 3302

UN Number: 1133 UN Hazard Class: 3.3 IMO Packaging Group: II

ī

Subsidiary Risk Label: -EMS Number: 3-05

MED First Aid Guide NUM: 330

Detail IATA Information

IATA PSN Code: ALD IATA UN ID Num: 1133

IATA Proper Shipping Name: ADHESIVES

IATA PSN Modifier: ,CONTAINING FLAMMABLE LIQUID

IATA UN Class: 3

IATA Label: FLAMMABLE LIQUID

UN Packing Group: III

Packing Note Passenger: 309

Max Quant Pass: 60L Max Quant Cargo: 220L Packaging Note Cargo: 310

=

Detail AFI Information

AFI PSN Code: ALD

AFI Proper Shipping Name: ADHESIVES

AFI PSN Modifier: ,CONTAINING FLAMMABLE LIQUID

AFI Hazard Class: 3
AFI UN ID NUM: UN1133
AFI Packing Group: III
Special Provisions: P5

HAZCOM Label

Product ID: CP-30 CHIL-PERM

Cage: 3K675 Company Na me: CHILDERS PRODUCTS CO INC

Street: 2061 HARTEL ST

City: BRISTOL PA Zipcode: 19007-0505

Health Emergency Phone: 800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 04/12/1994

Status Code: C

Label Date: 04/12/1994 Origination Code: G Chronic Hazard IND: Y Eye Protection IND: YES Skin Protection IND: YES Signal Word: DANGER

Respiratory Protection IND: YES

Health Hazard: Moderate Contact Hazard: Slight Fire Hazard: Severe Reactivity Hazard: None

Hazard And Precautions: FLAMM. KEEP I

N COOL, DRY AREA. ACUTE: INHAL: HIGH VAP

CONCS ARE IRRIT TO THE EYES & DIZZ, ARE ANESTHETIC AND MAY HAVE OTHER CNS EFFECTS. INGEST: MINUTE AMTS ASPIR INTO LUN GS DURING INGEST MAY CAUSE SEV PULM INJURY OR DEATH. EYE: MAY BE AN IRRIT. SKIN: MAY CAUSE IRRIT UPON PRLNGD/RPTD CNTCT. CHRONIC: VARIOUS STUDIES HAVE SHOWN A POSS ASSOCIATION W/EXPOSURE TO THE SOLVEN T IN THIS PRODUCT AND RESP TRACT IRRIT, LIVER DAMAGE IN HUMANS, KIDNEY DAMAGE IN HUMANS, NA

USEA AND VOMITING.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contract

ing with any instrumentality of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.