

GULF OIL CO. U.S. -- SYNFLUID TS-741 -- 9150-00-180-6290

===== Product Identification =====

Product ID:SYNFLUID TS-741

MSDS Date:01/01/1985

FSC:9150

NIIN:00-180-6290

MSDS Number: BDGCX

=== Responsible Party ===

Company Name:GULF OIL CO. U.S.

Emergency Phone Num:713-226-1011

CAGE:KO469

=== Contractor Identification ===

Company Name:GULF OIL CO U.S. A DIV OF GULF OIL CORP

Box:1519

City:HOUSTON

Stat

e:TX

ZIP:77001

Country:US

CAGE:34252

Company Name:GULF OIL CO. U.S.

CAGE:KO469

===== Composition/Information on Ingredients =====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION\_INGREDIENT

===== Hazards Identification =====

Effects of Overexposure:SKIN:REPEATED CONTACT MAY CAUSE IRRIT.MIST & FUMES MAY IRRIT MUCUS MEMBRANES.

===== First Aid Measures =====

First Aid:SKIN:REMOVE BY WIPING THEN SOAP &

WATER WASH. EYES:FLUSH WITH

COPIOUS AMTS OF WATER.INHAL:REMOVE FROM EXPOSURE TO FUMES,MISTS.

INGEST:GIVE 1-2OZ ACTIVATED CHARCOAL.SEEK DR.

===== Fire Fighting Measures =====

Flash Point:420F CC

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, FOG

Fire Fighting Procedures:CAREFUL USE OF FOAM & WATER TO PREVENT EXCESSIVE FROTHING

Unusual Fire/Explosion Hazard:SLIGHT WHEN EXPOSED TO HEAT OR FLAME, CAN REACT W/OXIDIZING MATERIALS. COMBUSTIBL

E.

===== Accidental Release Measures =====

Spill Release Procedures:STOP FLOW. REMOVE ALL SOURCES OF IGNITION.  
AVOID SKIN CONTACT & INHALING VAPOR OR MIST. ABSORB OR SCRAPE UP.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID FREQUENT OR PROLONGED SKIN  
CONTACT, INHAL OF FUMES, MIST, VAPORS. HANDLE & STORE W/METHODS  
APPROVED FOR COMBUSTIBLE HYDROCARBONS.

Other Precautions:DO NOT WEAR OIL-SOAKED C  
LOTHING

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR VAPORS & MIST EXCEEDNG TLV THERMAL  
PROCESSING, SPRAY APPLICATION

Protective Gloves:BUTYL RUBBER

Other Protective Equipment:OIL IMPERVIOUS OR PROTECTIVE GARMENT AS  
REQUIRED

Supplemental Safety and Health

B.P. IS 190-195C,VAPOR PRESS:IS NEGLIGIVLE.CONFORMS MIL-H-83282 A

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:374 - 384F

Spec Gra

vity:0.8438

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR, PALE, LUBRICATING OIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:HEAT MAY LIBERATE SMALL QUANTITIES OF  
FREE PHENOL

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN ACCORDANCE W/LOCAL, STATE, FED  
REGULATIONS

Disclaimer (provided with this information by the co

mpiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.