

THE ZIPPER TUBING CO RESEARCH/DEVELOP MFG -- ZTQ SEALER -- 8030-00-180-6346  
===== Product Identification =====

Product ID:ZTQ SEALER

MSDS Date:01/01/1985

FSC:8030

NIIN:00-180-6346

MSDS Number: BDGDJ

=== Responsible Party ===

Company Name:THE ZIPPER TUBING CO RESEARCH/DEVELOP MFG

Address:13000 SOUTH BROADWAY

Box:61129

City:LOS ANGELES

State:CA

ZIP:90061-1120

Country:US

CAGE:07240

=== Contractor Id

entification ===

Company Name:THE ZIPPER TUBING CO RESEARCH/DEVELOP MFG

Address:13000 SOUTH BROADWAY

Box:61129

City:LOS ANGELES

State:CA

ZIP:90061-1120

Country:US

CAGE:07240

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENTS

ACGIH TLV:200PPM, MFG

===== Hazards Identification =====

Effects of Overexposure:EYE IRRIT. VAPOR MAY CAUSE NARCOSIS. LIQUID  
CAUSES DEFATTING OF TUSSUE.

===== First Aid Measu

res =====

First Aid:EYES: FLUSH W/COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MIN.DO NOT INDUCE VOMITING IF INGESTED. CALL MD.

===== Fire Fighting Measures =====

Flash Point:6.0F TCC  
Lower Limits:2.0  
Upper Limits:11.8  
Extinguishing Media:ANSUL PURPLE K POTASSIUM BICARBONATE OR AER-O-FOAM

===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF SOURCE. IF POSSIBLE DAM. AVOID PROLONGED BREAT HING OF VAPOR. AVOID SKIN & EYE CONTACT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT SPARKS & OPEN FLAME. KEEP TIGHTLY CLOSED. STORE IN COOL LOCATION.  
Other Precautions:WASH THOROUGHLY AFTER USING. DO NOT DISTILL TO DRYNESS UNLESS ABSENCE OF PEROXIDES HAS BEEN VERIFIED BY TESTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE FOR NORMAL USE  
Ventilation:LOCAL EX HAUST RECOMMENDED  
Protective Gloves:PVA GLOVES  
Eye Protection:CHEMICAL GOGGLES  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2  
Boiling Pt:B.P. Text:151F  
Vapor Pres:143  
Vapor Density:2.49  
Spec Gravity:0.888  
Evaporation Rate & Reference:8.0 BUTACE  
Solubility in Water:COMPLETE  
Appearance and Odor:WATER-WHITE LIQUID, ETHERAL ODOR  
Percent Volatiles by Volume:100.

===== Stability and Reactivity Data =====

Stab

ility Indicator/Materials to Avoid: YES

Hazardous Decomposition Products: LONG EXPOSURE TO AIR OR OXYGEN  
PRODUCES PEROXIDES

===== Disposal Considerations =====

Waste Disposal Methods: ELIMINATE SPARKS & ALL OTHER IGNITION SOURCES &  
ALLOW TO EVAPORATE

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.