

SHELLER-GLOBE CORP,VICTOREEN INSTRUMENTS DIV -- 5962, ELECTRON TUBE --  
5960-00-188-6592

=====  
Product Identification  
=====

Product ID:5962, ELECTRON TUBE

MSDS Date:10/08/1991

FSC:5960

NIIN:00-188-6592

MSDS Number: BDHKN

=== Responsible Party ===

Company Name:SHELLER-GLOBE CORP,VICTOREEN INSTRUMENTS DIV

Address:6000 COCHRAN RD

City:SOLO

State:OH

ZIP:44139-3395

Country:US

Info Phone Num:216-248-930

0

Emergency Phone Num:216-248-9300

Preparer's Name:ROBERT A. JUCIUS

CAGE:JO931

=== Contractor Identification ===

Company Name:SHELLER-GLOBE CORP,VICTOREEN INSTRUMENT DIV.

Address:6000 COCHRAN RD

Box:City:CLEVELAND

State:OH

ZIP:44139-3395

Country:US

CAGE:JO931

Company Name:VICTOREEN INC

Address:6000 COCHRAN RD

Box:City:SOLO

State:OH

ZIP:44139-3395

Country:US

Phone:216-248-9300

CAGE:63060

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NICKEL (SARA III) PRODUCT

YIELDS 0.05 TO 0.10 MICROCURIES  
CAS:7440-02-0  
RTECS #:QR5950000  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3; 9192

===== Hazards Identification =====

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:METAL PRODUCTS IN THE NATURAL STATE DO NOT PRESENT AN INHALATION, INGESTION OR CONTACT HAZARD, HOWEVER,  
OPERATIONS SUCH AS BURNING, WELDING, SAWING, BRAZING AND GRINDING MAY RELEASE FUMES/DUSTS WHICH MAY PRESENT HEALTH HAZARDS IF TLV'S ARE EXCEEDED. THE RADIOACTIVE MATERIAL IN THE DEVICES REPRESENT NO SIGNIFICANT HAZARD  
Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.  
Effects of Overexposure:BECAUSE OF THE AMOUNT OF NICKEL-63 CONTAINED IN THE PRODUCT THIS SECTION IS NOT CONSIDERED APPLICABLE BY  
MANUFACTURER.  
Medical Condition Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:NONE SPECIFIED BY MANUFACTURER.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE  
Lower Limits:NOT GIVEN  
Upper Limits:NOT GIVEN  
Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE.  
Fire Fighting Procedures:WEAR CHEMICAL PROTECTIVE SUIT WITH SELF CONTAINED BREATHING APPARATUS

THING APPARATUS.

Unusual Fire/Explosion Hazard:SOME OF MATERIAL MAY BURN. CONTAINER MAY EXPLODE IN HEAT OF FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:HANDLE BROKEN DEVICE WITH GLOVES AND FORCEPS.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:SHIELD ACCORDING TO EMITTED RADIATION.  
PROTECT FROM FILM/FILM PLATES. KEEP CONTAINERS CLOSED. STORE IN AREA FOR RADIOACTIVE MATERIALS.

Other Precautions:THE MICROCURIE QUANTITIES OF NICKEL-63 REPRESENT NO SIGNIFICANT EXTERNAL EXPOSURE HAZARD SINCE THE LOW ENERGY BETAS EMITTED CANNOT PENETRATE THE OUTER SKIN LAYER. THE MATERIAL IS CONTAINED IN AN INERT SEALED VESSEL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.  
Ventilation:PROVIDE MECHANICAL (GENERAL/LOCAL EXHAUST) VENTILATION TO

MAINTAIN CONCENTRATIONS 2300F,>126

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity:ABOUT 7

Evaporation Rate & Reference:NIL

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GRAYISH TO BLACK PLATING ON ANODES

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

REACTS WITH STRONG ACIDS

Stability Condition to Avoid:PHYSICAL DAMAGE

Hazardous Decomposition Products:HYDROGEN GAS, METALLIC DU

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-IN ACCORDANCE WITH  
DOD REGULATIONS AND FEDERAL,STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims a  
ll liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.