View NSN Online: https://aerobasegroup.gr/nsn/6830-00-264-5913

ALLIED-SIGNAL INC, ENGINEERED MATERIALS SECTOR -- GENETRON 12 -- 6830-00-264-5913

Product ID:GENETRON 12 MSDS Date:08/01/1995 FSC:6830 NIIN:00-264-5913 **MSDS Number: BDQLH** === Responsible Party === Company Name: ALLIED-SIGNAL INC, ENGINEERED MATERIALS SECTOR Address:COLUMBIA RD AND PARK AVE Box:1087R City:MORRISTOWN State:NJ ZIP:07960 Country:US Info Phone Num:800-522-8001 Emergency Phone Num:800-522-8001 CAGE:1L164 === Contractor Identification === Company Name: ALLIED-SIGNAL INC Box:2332R City:MORRISTOWN State:NJ ZIP:07962-2332 Country:US Phone:201-455-4414 CAGE:1L164 Company Name: CFC RECOVERY SYSTEMS INC (770-984-2292) Box:UNKNOW CAGE:0UJL7

======= Composition/Information on Ingredients ==========

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III) CAS:75-71-8 RTECS #:PA8200000 Fraction by Wt: 100% OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1

======================================
Effects of Overexposure:DEPRESSES CNS,IRRITATS RESPIR TRACT;HIGH CONCS CAUSE CARDIAC ARRYTHMIA,ASPHYXIATION AND DEATH.
======================================
Flash Point:NONE Extinguishing Media:PRESENC IN FIRE DOES NOT HINDER USE OF ANY STANDARD MEDIUM. Fire Fighting Procedures:SELF-CNTND BRTHG APP.H*20 TO DISPERSE
APORS/COOL EXPOS CONT Unusual Fire/Explosion Hazard:CONTACT W.REACTV METALS(MOLTEN AL,BA/LI FINES)WILL PRODUCE RAPID EXOTHERMIC REACTIONS.
======================================
Spill Release Procedures: IF LARGE QUANTITY IS RELEASED, VACATE PREMISES AND ALLOW TO DISSIPATE.NOTE TLV
======================================
<ul> <li>Handling and Storage Precautions: AVOID EXCESSIVE HEAT.OUTDOOR STORAGE PERMITTED.PROTECT CYLINDERS &amp; TUBING</li> <li>FROM PHYSICAL DAMAGE; DO NOT PUNCTURE.USE AUTHORIZED CYLINDERS ONLY.</li> <li>Other Precautions: HALOCARBONS IN CONFINED/ENCLOSED SPACES REQUIRE WELL-VENTILATED DRAFT AS THE GAS DEPLETES OXYGEN WHICH IS NECESSARY FOR BREATHING.CONTAC IN EYES/ON SKIN CAN CAUSE FROSTBITE.</li> </ul>
======================================
Respiratory Protection:SELF CONTAINED BREATHING APPARATUS IF NOT IN

WELL VENTILATED AREAS. Ventilation:LOCAL EXHAUST AT FILLING ZONES.MECHANICAL AT STORA GE AREAS. Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES Supplemental Safety and Health ITEM MEETS REQUIREMENTS FOR TYPE 12 UNDER FED SPEC BB-F-1421.

HCC:G3 Boiling Pt:B.P. Text:-22F,-30C Melt/Freeze Pt:M.P/F.P Text:-252F,-158C Vapor Pres:35 PSI Vapor Density:4.26 Spec Gravity:1.325 Solubility in Water:SLIGHT Appearance and Odor:COLORLESS LIQUEFIED GAS WITH FAINT ETHEREAL ODOR Percent Volatiles by Volume:100

=======

Stability Indicator/Materials to Avoid:YES POWDERED AL,MG. ATTACKS MG AND ITS ALLOYS. Stability Condition to Avoid:DECOMPOSES AT GAS FLAME TEMPERATURE GIVE HALOGENS,HALO-ACIDS Hazardous Decomposition Products:TOXIC SUBSTANCES BY HIGH HEAT,E.G.FLUORIDES,CARBONYL HALIDES

Waste Disposal Methods:FOR MODERATE QUANTITIES PERMIT TO EVAPORATE IN AIR AT SLOW RATE, SO AS NOT TO EXCEED TLV.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.