View NSN Online: https://aerobasegroup.gr/nsn/6810-00-264-8970

Product ID: ENZOYL CHLORIDE MSDS Date:01/01/1987 FSC:6810 NIIN:00-264-8970 MSDS Number: BDQYC === Responsible Party === Company Name: SPECTRUM CHEMICAL MFG CO (MFG)(CHEM.COMMODITY-VNDR Emergency Phone Num:714-864-2310 CAGE:63415 === Contractor Identification === Company Name:S PECTRUM LABORATORY PRODUCTS INC Address:14422 S SAN PEDRO ST Box:City:GARDENA State:CA ZIP:90248-2027 Country:US Phone:310-516-8000/FAX: 310-516-9843 CAGE:63415

Ingred Name: BENZOYL CHLORIDE	(SARA III)
CAS:98-88-4	
RTECS #:DM6600000	
Fraction by Wt: >99%.	
EPA Rpt Qty:1000 LBS	
DOT Rpt Qty:1000 LBS	

Effects of Overexposure: EYS/NOSE/MUCOUS MEMBRANE: VAPORS IRRITA
TE;

LIQUID IS CORROSIVE TO ISSUE AND CAN CAUSE BURNS.

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES; SKIN: WASH WITH SOAP AND WATER; INHAL: REMOVE TO FRESH AIR; INGEST: IN THIS AND PREVIOUS INSTANCES, GET MEDICAL ASSISTANCE.

Flash Point Method:TCC Flash Point:=72.2C, 162.F Extinguishing Media:CARBON DIOXIDE - DRY CHEMICAL; DO NOT US

E WATER. Fire Fighting Procedures:WEAR SELF-CNTD BRTHG APPARATUS. Unusual Fire/Explosion Hazard:NOXIOUS AND CORROSIVE FUMES CAN BE PRODUCED.
======================================
Spill Release Procedures:NEUTRALIZE WITH SODA ASH, CONTAINERIZE.
======================================
 Handling and Storage Precautions:KEEP CONTRS CLOSED. STG IN COOL,DRY,WELL VENT AREA;PROT CONTRS FR PHYS DAMAGE:AVOID CONTCT W/SK,COMBS,REDG A GTS,STR BASES. CONTR HAZ WHEN EMPTY. Other Precautions:ITEM IS A CORROSIVE - USE APPROPRIATE PROTECTIVE EQUIPMENT WHEN HANDLING/STORING.
======================================
 Respiratory Protection:CHEMICAL CARTRIDGE RESKPIR. WITH ACID GAS CARTRIDGE/SA/SCBA. Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION Protective Gloves:IMPERVIOUS Eye Protection:SAFETY/CHEM GOGGLES Other Protective Equipment:SAFETY SHOWER & EYE BATH Suppleme ntal Safety and Health MSDS DATED: 28 AUG 86.
======================================
HCC:C1

NRC/State Lic Num:NOT RELEVANT Boiling Pt:=197.2C, 387.F Vapor Pres:1. Vapor Density:4.88 Spec Gravity:1.22 Appearance and Odor:CLEAR FUMING LIQUID, PUNGENT ODOR.

Stability Indicator/Materials to Avoid:YES WATER,OXIDIZING MATL, HT, EXPL MATLS, HNO*3, BASES Stability Condition to Avoid:STRONG ALKALI, ACIDS ,OXIDIZERS, HT SOURC, H*2O, STEAM. Hazardous Decomposition Products:PHOSGENE, CO, HCL, (SUBSTANCE WITH ACTIVE H) Conditions to Avoid Polymerization:WILL NOT POLYMERIZE.

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): Th

is information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.