View NSN Online: https://aerobasegroup.gr/nsn/6810-00-264-9020

VIRGINIA CHEMICALS INC. -- SODIUM SULFITE, ANHYDROUS -- 6810-00-264-9020

Product ID:SODIUM SULFITE, ANHYDROUS

MSDS Date:03/01/1987

FSC:6810

NIIN:00-264-9020

MSDS Number: BDQZZ === Responsible Party ===

Company Name: VIRGINIA CHEMICALS INC.

Address:801 WATERSTREET

City:PORTSMOUTH

State:VA ZIP:23704 Country:US

Info Phone Num:804-484-5000 Emergency Phone Num:804-484-

5000

CAGE:87698

=== Contractor Identification ===

Company Name: VIRGINIA CHEMICALS INC

Address:801 WATER ST Box:City:PORTSMOUTH

State:VA ZIP:23704 Country:US

Phone:804-893-3247

CAGE:87698

======= Composition/Information on Ingredients ========

Ingred Name: SODIUM SULFITE, ANHYDROUS

CAS:7757-83-7

RTECS #:WE2150000 Fraction by Wt: 97.5%

OSHA PEL:5MG/CUM (DUST) ACGIH TLV:5MG/CUM (DUST)

Ingred Name: IRON ION (FE +2)

CAS:15438-31-0 RTECS #:NO6925000 Fraction by Wt: 30%PPM OSHA PEL:1 MG/M3

Ingred Name:WATER SOLUBLES Fraction by Wt: 0.1%
======================================
Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES Health Hazards Acute and Chronic:ACUTE: MAY CAUSE SEVERE IRRITATION OF EYES, SKIN AND RESPIRATORY TRACT. AVOID DUSTY SITUATIONS. CHRONIC: NOT KNOWN. MAY HAVE RESPIRATORY ALLERGIC REACTIONS. Effects of Overexposure:SKIN: MAY CAUSE SEVERE IRRITATION OR INJURY. EYES:
MAY CAUSE SEVERE IRRITATION OR INJURY. INHALATION: RESPIATORY IRRITATION OR SOME ALLERGIC REACTIONS. INGESTION: IRRITATION TO MUCOUS MEMBRANES, NAUSEA, VOMITING. Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.
======================================
First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYM PTOMS OF OVEREXPOSURE.
======================================
Flash Point:NONE Extinguishing Media:NO SPECIAL REQUIREMENT. IN CASE OF SURROUNDING FIRE, USE FOAM, CO*2, WATERFOG. Fire Fighting Procedures:USE SCBA IN AN ENCLOSED AREA (NIOSH/MSHA APPROVED). Unusual Fire/Explosion Hazard:AT 1112F (600C)SODIUM SULFIDE IS FORMED AT 1652F(900C)SO*2 IS FORMED. USE SCBA FOR FIRE FIGHTING
========= Accidental Release Measures ==========

(FE) ACGIH TLV:1 MG/M3 (FE); 8990

Spil

I Release Procedures:CONTAIN ALL SPILLED MATERIAL. DO NOT FLUSH TO SURFACE WATERS. COLLECT DRY MATERIALS IN SUITABLE CONTAINERS.
======================================
Handling and Storage Precautions:PROTECT CONTAINERS FROM DAMAGE.STORE IN DRY AREA AWAY FROM ACIDS,AND OXIDIZING AGENTS. Other Precautions:DO NOT INHALE DUST. AVOID SKIN AND EYE EXPOSURE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:DUST MASK/DUS T RESPIR Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN