

SHORE CHEMICAL -- N-1005 -- 8040-00-266-7427

===== Product Identification =====

Product ID:N-1005
MSDS Date:01/01/1987
FSC:8040
NIIN:00-266-7427
Kit Part:Y
MSDS Number: BDRHK
=== Responsible Party ===
Company Name:SHORE CHEMICAL
Address:100 MAIN ST
City:ALLENHURST
State:NJ
ZIP:07711-1131
Country:US
CAGE:0FZD5

=== Contractor Identification ===
Company Name:SHORE CHEMICAL
Address:100 MAIN ST
Box:8
City:ALLENHURST
Phone:(201)229-5400
CAGE:0FZD5
Company Name:SHORE-UBS CHEMICAL CO INC
Address:100 MAIN ST
Box:City:ALLENHURST
State:NJ
ZIP:07711-1131
Country:US
Phone:201-531-7300
CAGE:31711

===== Composition/Information on Ingredients =====

Ingred Name:METALLIC OXIDE
Fraction by Wt: 0.4%

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (N-HEXANE)
CAS:

110-54-3
RTECS #:MN9275000
OSHA PEL:500 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:N-HEPTANE
CAS:142-82-5
RTECS #:MI7700000
OSHA PEL:500 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9293

Ingred Name:NATURAL RUBBER ADHESIVE

===== Hazards Identification =====

Effects of Overexposure:NARCOSSIS AND/OR POSSIBLE HEADACHE OR BRONCHIAL CATARRH

===== First Aid Measures =====

First Aid:FRESH AIR- SEE DOCTOR

===== Fire Fighting Measures =====

Flash Point:20F -7C
Lower Limits:1.2
Upper Limits:8.0
Extinguishing Media:DRY CHEMICAL,CO*2,FOAM,TRICHTHLORETHANE
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN.
Unusual Fire/Explosion Hazard:KEEP AWAY FROM OPEN FLAME,SPARKS,HOT SURFACES AND OXIDIZERS.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP

===== Handling

and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT OR IN DIRECT
SUNLIGHT.STORE IN SOLVENT STORAGE AREA.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST
Protective Gloves:YES
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:152F 66C
Vapor Pres:5.4
Vapor Density:0.69
Spec Gravity:0.73
Evaporation Rate
& Reference:5.7
Solubility in Water:NONE
Appearance and Odor:WHITE,CHARACTERISTIC NAPHTHA ODOR
Percent Volatiles by Volume:93.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:OXIDES OF ZINC AND SULFUR METHANE GAS,
OXIDES OF CARBON.

===== Disposal Considerations =====

Waste Disposal Methods:SOLVENT DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.