

APCO OIL -- APCO 140 -- 6850-00-285-8011

=====
Product Identification
=====

Product ID:APCO 140
MSDS Date:01/01/1987
FSC:6850

NIIN:00-285-8011

MSDS Number: BDTRM

=== Responsible Party ===

Company Name:APCO OIL/OKLAHOMA CITY, OK 73101

Emergency Phone Num:(405) 236-5641

CAGE:4A712

=== Contractor Identification ===

Company Name:APCO OIL/OKLAHOMA CITY, OK 73101

CAGE:4A712

=====
Composition/
Information on Ingredients
=====

Ingred Name:MED ALIPHATIC SOLVENT NAPHTHA

Fraction by Wt: 100%

ACGIH TLV:35 PPM

=====
Hazards Identification
=====

Effects of Overexposure:ANESTHETIC/RESP TRACT

IRRITATION/HEADACHE/DIZZINESS/STAGGERING/CONFUSION/UNCONSCIOUSNESS
OR COMA.

=====
First Aid Measures
=====

First Aid:EYES & SKIN: FLUSH WITH WATER FOR AT LEAST 15 MINUTES, IF
IRRITATED, GET MEDICAL ATTENTIONS

. IF EXPOSED TO HIGH CONCENTRATION

OF VAPOR, REMOVE TO FRESH AIR. IF SWALLOWED: DON'T INDUCE VOMITING.
CALL P HYSICIAN IMMEDIATELY.

=====
Fire Fighting Measures
=====

Flash Point:141F (TCC)

Lower Limits:.9%

Extinguishing Media:CO2, DRY CHEMICAL OR FOAM

Fire Fighting Procedures:WATER COOL CONTAINERS. USE AIR-SUPPLIED
BREATHING MASKS.

Unusual Fire/Explosion Hazard:KEEP CONTAINER TIGHTLY CLOSED. CONTAINERS
MAY EXPLODE IF EXPOSED TO EXTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. AVOID BREATHING VAPOR, VENTILATE. REMOVE WITH INERT, ABSORBENT, NON-SPARKING PRODUCTS. IN CASE OF SPILLAGE, ABSORB AND DISPOSE IN ACCORDANCE WITH LOCAL APPLICABLE REGULATIONS.

===== Handling and Storage =====

Handling and Storage Precautions: DON'T STORE >120F. STORE LARGE AMTS IN STRUCTURES MADE FOR OSHA CLASS III LIQUIDS. AVOID FREE LLOF LIQUID. DON'T FLAME CUT, BRAZE OR WELD.

Other Precautions: KEEP CLOSURE TIGHT AND UPRIGHT TO PREVENT LEAKAGE. KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP OUT OF THE REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: VENTILATE TO KEEP AIR TLV, USE CANISTER MASK.

Ventilation: LOCAL EXHAUST: PREFERABLE/MECHANICAL: ACCEPTABLE

Protective Gloves: RECOMMENDED

Eye Protection: GOGGLES

Other Protective Equipment:
NONE

Supplemental Safety and Health

MSDS DATE: 04/78. POUNDS/GAL: 6.556.

===== Physical/Chemical Properties =====

HCC: F4

Boiling Pt: B.P. Text: 375-398F

Vapor Pres: .7

Vapor Density: 5.2

Spec Gravity: .787

Evaporation Rate & Reference: (ETHER = 1): 90.0

Solubility in Water: NEGLIBIBLE

Appearance and Odor: CLEAR, WATER-WHITE, MILD, NON-RESIDUAL ODOR.

Percent Volatiles by Volume: 100%

===== Stability and Reactivity Data =====

Stability Indicator

/Materials to Avoid: YES

KEEP AWAY FROM STRONG OXIDIZERS SUCH AS PERMANGANATE.

Stability Condition to Avoid: HEAT & OPEN FLAME.

Hazardous Decomposition Products: CARBON MONOXIDE FROM BURNING.

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATION ACCORDING TO AIR POLLUTION REGULATIONS. DON'T INCINERATE IN CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements

of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.