

DEVOE & RAYNOLDS CO -- MD4333 -- 8010-00-290-4247

===== Product Identification =====

Product ID:MD4333

MSDS Date:01/01/1985

FSC:8010

NIIN:00-290-4247

MSDS Number: BDVFM

=== Responsible Party ===

Company Name:DEVOE & RAYNOLDS CO

Emergency Phone Num:502-897-9861

CAGE:EO559

=== Contractor Identification ===

Company Name:DEVOE & RAYNOLDS CO, INC.

Box:7600

CAGE:EO559

Company Name:DEVOE COATINGS CO DIV OF GROW GROUP INC

Address:2625 DURAHART ST

Box:City:RIVERSIDE

St

ate:CA

ZIP:92507-2606

Country:US

CAGE:70506

===== Composition/Information on Ingredients =====

Ingred Name:CUPROUS OXIDE

CAS:1317-39-1

RTECS #:GL8050000

Fraction by Wt: 60.0%

ACGIH TLV:1MGM3

Ingred Name:TRIORTHOCRESYL PHOSPHATE

CAS:78-30-8

RTECS #:TD0350000

Fraction by Wt: 5.0%

OSHA PEL:S, 0.1 MG/M3

ACGIH TLV:S, 0.1 MG/M3; 9192

Ingred Name:MESITYL OXIDE

CAS:141-79-7

RTECS #:SB4200000

Fraction by Wt: 10.0%

OSHA PEL:25 PPM

ACGIH TLV:15 PPM/25 STEL; 9293

Ingred Name:XYLENES (

O-,M-,P- ISOMERS) (SARA III)  
CAS:1330-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 5.0%  
OSHA PEL:100 PPM/150 STEL  
ACGIH TLV:100 PPM/150STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Effects of Overexposure:EYE/THROAT/SKIN/LUNG IRRIT

===== First Aid Measures =====

First Aid:WASH SKIN THOROUGHLY. FLUSH EYES W/WATER, REMOVE TO FRESH  
AIR. REMOVE CONTAM CLOTHING. GIVE ARTIF RESP IF NEEDED  
, CALL MD.

===== Fire Fighting Measures =====

Flash Point:80F, 26.7C TOC  
Lower Limits:1.30  
Upper Limits:1.00  
Extinguishing Media:FOAM, DRY CHEM, FOG, CARBON DIOXIDE  
Unusual Fire/Explosion Hazard:AVOID FIRE, HEAT, SPARKS, IGNIT SOURCES,  
STG IN DIRECT SUNLIGHT

===== Accidental Release Measures =====

Spill Release Procedures:DO NOT BREATHE VAPORS. AVOID CNTCT W/LIQ.

===== Handling and Storage =====  
=====

Handling and Storage Precautions:KEEP CNTNRS CLOSED, UPRIGHT, AWAY FROM  
FIRE, FLAME, SPARKS, IGNIT SOURCES, DIRECT SUNLIGHT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESP DEVICE  
Ventilation:SPARK-PROOF FANS  
Protective Gloves:GLOVES  
Eye Protection:GOGGLES/GLASSES  
Other Protective Equipment:NORM PROT CLOTHING  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4  
Boiling Pt:B.P. Text

:240F,115.6C  
Vapor Pres:013  
Spec Gravity:2.0900  
Solubility in Water:2.04  
Appearance and Odor:LIQ PAINT, KETONE SMELL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
OXIDIZING MATL - RUBBER SOFTENS  
Hazardous Decomposition Products:CO, CO2, COPPER CMPDS

===== Disposal Considerations =====

Waste Disposal Methods:IN CLOSED METAL CNTNRS AWAY FROM IGNIT SOURCES

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.