View NSN Online: https://aerobasegroup.com/nsn/9150-00-340-1590

Product ID:ASSEMBLY FLUID #1 MSDS Date:03/09/1989 FSC:9150 NIIN:00-340-1590 **MSDS Number: BDWWN** === Responsible Party === **Company Name:ULTRACHEM INC** Address:1400 N. WALNUT ST Box:2053 **City:WILMINGTON** State:DE ZIP:19899 Country:US Emergency Phone Num:302-571-8520 CAGE:56385 === Contractor Identification === Co mpany Name:ULTRACHEM INC Address:900 CENTERPOINT BLVD Box:City:NEW CASTLE State:DE ZIP:19720 Country:US Phone:302-325-9880 CAGE:56385 Ingred Name: MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST') CAS:8012-95-1 RTECS #:PY8030000 Fraction by Wt: 64% OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3/10 STEL;9192

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 5 G/KG Routes of Entry: Inha

lation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: PROLONGED OR REPEATED SKIN CONTACT WITH THIS PRODUCT TENDS TO REMOVE SKIN OILS POSSIBLY LEADING TO IRRITATION AND DERMATITIS. Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF AILMENTS OR WIT H A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE. First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING. GET MEDICAL ATTENTION. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF **IRRITATION PERSISTS, GET MEDICAL** ADVICE. INGESTION: INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION. Flash Point Method:COC Flash Point:375F,191C Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, OR DRY CHEMICAL. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusua I Fire/Explosion Hazard: IF CLOSED DRUMS ARE EXPOSED TO FIRE, KEEP COOL WITH WATER SPRAY TO PREVENT PRESSURE BUILDUP.

Spill Release Procedures: FLOOR MAY BE SLIPPERY; USE CARE TO AVOID FALLS. REMOVE SATURATED CLOTHING AND WASH AFFECTED SKIN AREAS WITH SOAP AND WATER.

Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions: STORE IN A CLE

AN, DRY AREA. TYPE 0-INDEFINITE SHELF LIFE.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY. Ventilation:NONE REQD AT AMBIGENT TEMP. Protective Gloves:IMPERVIOUS Eye Protection:CHEM SPLASH GOGGLES Other Protective Equipment:SAFETY SHOWER & EYE BATH Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health AVOID PROLON GED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

HCC:V6 Boiling Pt:B.P. Text:>600F/315C Vapor Pres: