View NSN Online: https://aerobasegroup.gr/nsn/6830-00-424-9580

ERNEST F. FULLAM, INC. -- EFFA DUSTER -- 6830-00-424-9580

Product ID:EFFA DUSTER MSDS Date:01/01/1987

FSC:6830

NIIN:00-424-9580

MSDS Number: BDYPG === Responsible Party ===

Company Name: ERNEST F. FULLAM, INC. Address: 900 ABANY SHAKER ROAD

City:LATHAM State:NY

ZIP:12110-1416 Country:US

Info Phone Num:302-774-2549

Emergency Phone Num:302-774-2549

CAGE:LO356

=== Con

tractor Identification ===

Company Name: ERNEST F. FULLAM, INC.

Address: 900 ABANY SHAKER ROAD

Box:City:LATHAM

State:NY

ZIP:12110-1416

Country:US

Phone:302-774-2549

CAGE:LO356

Company Name: FULLAM ERNEST F INC

Address:900 ALBANY SHAKER RD

Box:City:LATHAM

State:NY

ZIP:12110-1416

Country:US

Phone:518-785-5533

CAGE:22741

======= Composition/Information on Ingredients ========

Ingred Name: DICHLORODIFLUOROMETHANE (SARA III)

CAS:75-71-8

RTECS #:PA8200000 Fraction by Wt: 100% OSHA PEL:1000

EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS
Ozone Depleting Chemical:1
======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND RESPIRATORY TRACT;MAY CAUSE DIZZINESS AND FAINTING. CHRONIC:NO DATA AVAILABLE.
Effects of Overexposure:DIZZINESS AND FAINTING  Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE
W ORSEN.
======================================
First Aid:INHALATION-REMOVE PERSON TO FRESH AIR,BREATHE DEEPLY.CONTACT WITH LIQUID-TREAT FOR FROST BITE.
======================================
Flash Point:NONE Extinguishing Media:EXTINQUISH W. AGENT SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SCBA;DO NOT INCINERATE CANS. Unusual Fire/Explosion Hazard:CAN PACKED UNDER PRESSURE SHOULD NOT BE STORED OVER 130 F
== ========= Accidental Release Measures ===========
Spill Release Procedures:EVACUATE AREA. WEAR SCBA, PROTECTIVE CLOTHING. STOP LEAK. NOTIFY SUPPLIER AND AUTHORITIES. LIMIT ENTRIES TO SHORT TIME. REMOVE TO FUME HOOD IF POSSIBLE UNTIL LEAK STOPPED. VENTILATE ROOM
============= Handling and Storage ==============

Handling and Storage Precautions: CONTRS HAZ WHEN EMPTY. ALL HAZ PRECS MUST BE OBSERVED. PROT. CONTRS AGAINST PHYS. DAMAGE KEEP CONTRS

PPM

ACGIH TLV:1000 PPM; 9192

CLOSED.AVOID FIRE HAZ. STG IN COOL, DRY PLACE. Other Precautions: DO NOT STORE ABOVE 130F/54C. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT REQUIRED UNDER NORMAL USE Ventilation: NORMAL ROOM VENTILATION Protective Gloves: IMPERVIOUS **Eve Protection: CHEM SPLASH GOGGLES** Other Protective Equipment: FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT. Supplemental Safety and Health MSDS UNDATED. THIS ITEM IS NON-FLAMMABLE, HOWEVER, MIXTURES FLAMMABLE LIQ OR GASES MAY BE FLAMMABLE & SHOULD BE HANDLED WITH CAUTION. ======== Physical/Chemical Properties ============ HCC:G3 Boiling Pt:B.P. Text:-21.6F/-29C Vapor Pres:70 PSI Vapor Density:UNK Spec Gravity:1.3 Solubility in Water: NEGLIGIBLE Appearance and Odor: COLORLESS GAS, CLEAR LIQUID, ODORLESS Percent Volatiles by Volume:100 ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid: DO NOT STORE ABOVE 130 F Hazardous Decomposition Products: IN PRESENCE OF HIGH HEAT SOURCE OR OP FLAME HCL, HF, CL\*2 ======= Disposal Considerations ============ PRESSURE.DISPOSE CAN IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Waste Disposal Methods: VENT CONTENT OF CANS OUTSIDE TO RELIEVE ALL

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elemen

ts of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.