View NSN Online: https://aerobasegroup.gr/nsn/8010-00-598-5733 CHEMRAY COATINGS CORPORATION -- INT, LATEX, FLAT PAINT -- 8010-00-598-5733 ============= Product Identification =============== Product ID: INT, LATEX, FLAT PAINT MSDS Date:01/01/1985 FSC:8010 NIIN:00-598-5733 MSDS Number: BFHJM === Responsible Party === Company Name: CHEMRAY COATINGS CORPORATION Address: 209 MICHIGAN AVE. City:KENILWORTH State:NJ ZIP:07033 Country:US Emergency Phone Num:201-245-1111 CAGE:OBRN9 === Cont ractor Identification === Company Name: CHEMRAY COATING CORP Address: 209 N MICHIGAN AVE Box:City:KENILWORTH State:NJ ZIP:07033 Country:US Phone:201-245-1111 CAGE:33832 Company Name: CHEMRAY COATINGS CORP. Address: 209 N. MICHIGAN AVE. Box:NA City:KENILWORTH State:NJ ZIP:07033 Country:US Phone:800-924-9300 CAGE:OBRN9 ======= Composition/Information on Ingredients ========

======== Hazards Identification ==========

Ingred Name:WATER

RTECS #:ZC0110000

CAS:7732-18-5

===== Effects of Overexposure: NO KNOWN EFFECTS First Aid:SPLASY EYES:FLUSH WITH RUNNING WATER AT LEAST 15 MINUTES. CONSULT A DR. ============ Fire Fighting Measures ========================= Flash Point:NONE Extinguishing Media: WATER IS A MAJOR INGREDIENT OF THIS MATERIAL. ======== Accidental Release Measures ============ Spill Release Procedures: REMOV W/ABSORBENT MATERIAL OR FLUSH W/WATER INTO RETAINING AREA OR CONTAINER. ============ Handling and Storage =========================== Handling and Storage Precautions: DO NOT STORE AT TEMPERATURES OVER 150F BECAUSE OF EXPANSION OF CONTAINER CONTENTS. Other Precautions: DO NOT FREEZE. DO NOT TAKE INTERNALLY. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: H.S.C. MDL 1482 RESPIRATORY BY H.S COVER CO, BUCHANAN, MI Ventilation:LOC EXHAUST- OPEN WINDOWS MECH-FANS Protective Glo ves:PRLNG/RPEATED C Eye Protection: GOGGLES TO PROTCT AGNST S Supplemental Safety and Health ======== Physical/Chemical Properties =========== HCC:N1 Boiling Pt:B.P. Text:212F 100C Vapor Density: 1.4 Spec Gravity:1.4 Evaporation Rate & Department Reference: WATER 1.00 Solubility in Water: COMPLETE Appearance and Odor:LIQUID, NOT OBNOXIOUS. Percent Volatiles by Volume:69

======== Stability and Reactivity Data ===========

Stability Indicator/Materials to Avoid:YES

===

======= Disposal Considerations ============

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS. DO NOT INCINERATE CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its us

e. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.