

WILKINS CO INC -- K-LENS-M LENS CLEANER (#403,208,216,297) -- 6850-00-737-0811

=====
Product Identification
=====

Product ID:K-LENS-M LENS CLEANER (#403,208,216,297)

MSDS Date:10/11/1990

FSC:6850

NIIN:00-737-0811

MSDS Number: BFMTJ

=== Responsible Party ===

Company Name:WILKINS CO INC

Address:220 GROTON AVE

Box:628

City:CORTLAND

State:NY

ZIP:13045-1814

Country:US

Info Phone Num:607-756-7548

Emerg

ency Phone Num:607-756-7548/607-749-2369(NIGHTS)

CAGE:30483

=== Contractor Identification ===

Company Name:WILKINS CO INC

Address:220 GROTON AVE

Box:628

City:CORTLAND

State:NY

ZIP:13045-1814

Country:US

CAGE:30483

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000

Fraction by Wt: 20%

Other REC Limits:NONE SPECIFIED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000
Fraction by Wt: 2%
Other REC Limits:NONE SPECIFIED
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)
CAS:67-56-1
RTECS #:PC1400000
Fraction by Wt: 1.5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:S,200PPM/250STEL
ACGIH TLV:S,200PPM/250STEL; 93
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ISOBUTYL KETONE (SARA III)
CAS:108-10-1
RTECS #:SA9275000
Fraction by Wt: 0.5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:
100 PPM/75 STEL
ACGIH TLV:50 PPM/75 STEL; 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:PROPYLENE GLYCOL MONOMETHYL ETHER
CAS:107-98-2
RTECS #:UB7700000
Fraction by Wt: 2%
Other REC Limits:NONE SPECIFIED
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 74%
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Effects of Overexposure:INHAL:DROWSINESS;EYES:IRRIT

ATION;SKIN:SLIGHT

IRRITATION;INGEST:G.I.IRRITATION,NAUSEA,& LIVER DAMAGE.

=====
First Aid Measures
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures
=====

Flash Point:100F (MINIMUM)

Extinguishing Media:USE WATER F
OG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION:USE SUITABLE
A
BSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL DRY AREA.KEEP AWAY FROM
EXTREME HEAT.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:AVOID CONTACT WITH EYES AND SKIN.DO NOT INHALE
VAPORS/MIST.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR
ORG.VAPORS/MIST IF ABOVE TLV.

Vent

ilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN