

HULS AMERICA INC -- ANDEROL 402 SYNTHETIC GENL PURPOSE OIL -- 9150-00-753-4667
===== Product Identification =====

Product ID:ANDEROL 402 SYNTHETIC GENL PURPOSE OIL

MSDS Date:03/07/1989

FSC:9150

NIIN:00-753-4667

MSDS Number: BFNBQ

=== Responsible Party ===

Company Name:HULS AMERICA INC

Address:80 CENTENNIAL AVE

Box:456

City:PISCATAWAY

State:NJ

ZIP:08855-0456

Country:US

Info Phone Num:201-980-6800

Emergency Phone Num:201-980-6800

Preparer's Name:P. A. PARKER

CAGE:63182

=== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

Company Name:HULS AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08855

Country:US

Phone:201-763-7173

CAGE:63182

Company Name:HULS AMERICA INC/NUODEX INC

Address:80 CENTENNIAL AVE

Box:456

City:PISCATAWAY

State:NJ
Country:US
Phone:908-981-5000
CAGE:4W595

=====
Composition/Information on Ingredients
=====

Ingred Name:SYNTHETIC ESTER-BASED OIL
Fraction by Wt: >98%
Other REC Limits:5MG/CUM,AS OIL MIST

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:SKIN,EYES AND RESPIRATORY
IRRITATION ON CONTACT;MAY ALSO CAU
SE NAUSEA,VOMITING. CHRONIC:NO
DATA AVAIL.
Effects of Overexposure:LOW ORAL AND DERMAL TOXICITY;MAY CAUSE SKIN OR
EYES,RESPIRATORY IRRITATION;NAUSEA VOMITING.
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR.GET MEDICAL ATTENTION.
EYES:FLUSH WITH WATER FOR AT LEAST 15 MINUTES WHILE HOLDING EYELIDS
OPEN.GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP & WATER OR USE A
SUITABLE SK IN CLEANER.REMOVE CONTAMINATED CLOTHING.IF IRRITATION
PERSISTS,GET MEDICAL ATTENTION. INGESTION: INDUCE VOMITING. NEVER
GIVE ANY THING BY MOUTH IF UNCONSCIOUS.KEEP WARM AND QUIET AND GET
MEDICAL ADVIC

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:450F,232C
Extinguishing Media:WATER SPRAY,DRY CHEMICAL,FOAM OR CO*2
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA WITH FULL
PROTECTION FOR TOXICV
Unusual

Fire/Explosion Hazard:EXPOSURE TO HEAT BUILDS UP PRESSURE IN
CLOSED CONTAINER.COOL WITH WATER SPRAY.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION:COVER WITH AN
INERT,ABSORBENT MATERIAL AND REMOVE TO DISPOSAL CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED
AREA.KEEP AWAY FROM HEAT AND OPEN FLAME KEEP C
ONTAINER CLOSED WHEN
NOT IN USE.

Other Precautions:AVOID CONTACT WITH SKIN AND EYES.DO NOT BREATHE OIL
MIST/VAPORS;WASH AFTER EACH USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR OIL
MIST/VAPORS.

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE
VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHO
WER,EYE

WASH STATION

Supplemental Safety and Health

HULS AMERICA INC. REPLACED NUODEX INC (SAME ADDRESS). MSDS/PRODUCT
NUMBER:0810402.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>660F/349C

Vapor Pres: