

CORNELL DUBILIER ELEC. DIV. OF FED. PAC. ELEC. CO. -- KGT4150 -- 5910-00-777-5548

=====  
Product Identification  
=====

Product ID:KGT4150

MSDS Date:01/01/1985

FSC:5910

NIIN:00-777-5548

MSDS Number: BFPCB

=== Responsible Party ===

Company Name:CORNELL DUBILIER ELEC. DIV. OF FED. PAC. ELEC. CO.

Address:ONE INTERCHANGE PLZ

City:WAYNE

State:NJ

ZIP:07470

Country:US

Emergency Phone Num:NONE

CAGE:09023

===

Contractor Identification ===

Company Name:CORNELL DUBILIER ELEC DIV FED PAC ELEC

Address:ONE INTERCHANGE PLZ

Box:B-967

City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-8600

CAGE:09023

Company Name:CORNELL-DUBILIER ELECTRONICS

Address:ONE INTERCHANGE PLZ

Box:City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-8600

CAGE:14655

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS:1336-36-3

RTECS #:TQ1350000

EPA

Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

=====  
Hazards Identification  
=====

Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES  
CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)

=====  
First Aid Measures  
=====

First Aid:EYES:FLUSH W/WATER IMMED.SKIN:WASH W/SOAP IMMED.INHAL:REMOVE  
TO FRESH AIR.GIVE ART.RESPIR. AS NEEDED.INGEST:GET MEDICAL  
ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE VOMITING, BUT DO NO  
T MAKE  
UNCONSCIOUS P ERSON VOMIT.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:STRONG OXIDIZER

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT  
RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.

=====  
Exposure Controls/Per  
sonal Protection  
=====

Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD  
Ventilation:LOCAL EXHAUST  
Protective Gloves:RUBBER IMPERV  
Eye Protection:GOGGLES FACE SHIELD  
Other Protective Equipment:FULL CLOTHING TO SKIN CONTACT  
Supplemental Safety and Health  
OVEREXPOS:CAN CAUSE FORMATION OF CYSTS.CAUSES STILLBIRTHS.IRRITATES  
EYES,NOSE,THROAT.

=====  
Physical/Chemical Properties  
=====

HCC:Z3

Appearance and Odor:LIGHT STRAW COLORED LIQUID,ARO

MATIC ODOR.

===== Stability and Reactivity Data =====

STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods:CONTRLLED DISPOSAL REQUIRED-GENERALLY HIGH  
TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no m

anner whatsoever,

expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.