

E.I. DUPONT DE NEMOURS & CO -- TEFLON PREMIXED ONE COAT ENL-GREEN 851-204 --  
8010-00-828-4939

===== Product Identification =====

Product ID:TEFLON PREMIXED ONE COAT ENL-GREEN 851-204

MSDS Date:04/15/1987

FSC:8010

NIIN:00-828-4939

MSDS Number: BFRNG

=== Responsible Party ===

Company Name:E.I. DUPONT DE NEMOURS & CO

City:WILMINGTON

State:DE

ZIP:19808

Info Phone Num:(800) 441-7515

Emergency Phone Nu

m:(800) 441-3637

CAGE:19898

=== Contractor Identification ===

Company Name:DU PONT E I DE NEMOURS & CO FABRICATED PROD DEPT

Address:1007 MARKET ST BRANDYWINE BLDG 3332

Box:City:WILMINGTON

State:DE

ZIP:19898

Country:US

Phone:800-441-3637

CAGE:90227

Company Name:E.I. DUPONT DE NEMOURS & CO., INC.

Box:1635

CAGE:19898

===== Composition/Information on Ingredients =====

Ingred Name:CHROMIUM (III) OXIDE

CAS:1308-38-9

RTECS #:GB6475000

OSHA PEL:0.5 MG/M3 (CR)

ACGIH TLV:0.5 MG/M3 (CR)

; 8990

Ingred Name:POLYTETRAFLUOROETHYLENE

CAS:116-14-3

RTECS #:KX4025000

Ingred Name:SODIUM LAURYL SULFATE

Ingred Name:CHROMIUM (VI) OXIDE

CAS:1333-82-0

RTECS #:GB6650000

OSHA PEL:C, 0.1 MG/M3 (CRO3)

ACGIH TLV:0.05 MG/M3(CR); 8990

Ingred Name:PHOSPHORIC ACID (SARA III)

CAS:7664-38-2

RTECS #:TB6300000

Other REC Limits:1 MG/CUM

OSHA PEL:1 MG/M3/3 STEL

ACGIH TLV:1 MG/M3/3 STEL; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:WATER, H2O

CAS:7732-18-5

RTECS #:ZC0110000

Ingred Name:

VOL ORGANIC CMPD: (THEORETICAL) = 0

RTECS #:9999999VO

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NORMALLY NOT A HAZARD. EYES:

IRRITATION, BURNING. SKIN: IRRITATION WITH DISCOMFORT & DERMATITIS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:REPEATED/PROLONGED LIQUID CONTACT MAY CAUSE  
SKIN IRRITATION WITH DIS

COMFORT & DERMATITIS. NORMALLY NOT A HAZARD.

=====  
First Aid Measures  
=====

First Aid:INHALATION: IF AFFECTED BY INHALATION OF VAPOR/SPRAY MIST, REMOVE TO FRESH AIR. IF BREATHING DIFFICULTY PERSISTS, CONSULT PHYSICIAN. SKIN/EYE: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES; CALL PHYSICIAN. SKIN: WASH WITH SOAP & WATER. IF IRRITATION OCCURS, CONTACT PHYSICIAN. INGESTION: CALL PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point Method:CC  
Flash Point:200F  
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL.  
Fire Fighting Procedures:USE FOG NOZZLES TO COOL CONTAINERS AND PREVENT PRESSURE BUILD-UP. FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED.  
Unusual Fire/Explosion Hazard:NONE. HYDROGEN FLUORIDE IS RELEASED DURING A FIRE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:VENTILATE AREA. REMOVE SOURCES OF IGNITION. PREVENT SKIN CONTACT & BREATHING OF VAPOR. CONFINE & REMOVE WITH INERT ABSORBANT.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS/FLAME. CLOSE CONTAINER AFTER EACH USE. GROUND CONTAINERS WHEN POURING. WASH THOROUGHLY AFTERHANDLING/BEFORE EATING/SMOKING  
Other Precautions:DON'T STORE >120F. DON'T SAND, FLAME CUT, BRAZE OR WELD DRY COATING WITHOUT A NIOSH/MSHA APPROVED RESPIRATOR OR APPROPRIATE VENTILATION. DON'T EXCEED RECOMMENDED BAKING TEMPERATURES. CAN CAUSE SKIN & EYE IRRITATION.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:DON'T BREATHE VAPORS/MISTS. WEAR A PROPERLY FITTED VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH/MSHA (TC-23C) FOR USE W/PAINTS DURING APPLICATION & UNTIL ALL VAPORS & SPRAY MISTS ARE EXHAUSTED.  
Ventilation:PROVIDE SUFFICIENT VENTILATION TO KEEP