View NSN Online: https://aerobasegroup.gr/nsn/8010-00-852-9034

PACIFIC AEROSOL, INC. 2424 MERCED ST., SAN LEANDRO CA -- 16187 -- 8010-00-852-9034

Product ID:16187

MSDS Date:01/01/1987

FSC:8010

NIIN:00-852-9034

MSDS Number: BFSSY === Responsible Party ===

Company Name: PACIFIC AEROSOL, INC. 2424 MERCED ST., SAN LEANDRO CA

Emergency Phone Num:415-351-4860

CAGE:34451

=== Contractor Identification ===

Company Name: AERVOE-PACIFIC CO, IN

C.

Address:1198 SAWMILL RD Box:City:GARDNERVILLE

State:NV ZIP:89410 Country:US

Phone: (702)-782-0100

CAGE:33451

Company Name: PACIFIC AEROSOL, INC.

CAGE:34451

======= Composition/Information on Ingredients ========

Ingred Name: TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: 20.0%

OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: ACETONE (SARA III)

CAS:67-64-1

RTECS #:AL3150000 Fraction by Wt: 36.0%

OSHA PEL:10

00PPM ACGIH TLV:750PPM/1000STEL;9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name: ALIPHATIC THINNER Fraction by Wt: 8.0% Ingred Name: ISOBUTYL ALCOHOL (SARA III) CAS:78-83-1 RTECS #:NP9625000 Fraction by Wt: 18.0% OSHA PEL:100 PPM ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name:PROPANE CAS:74-98-6 RTECS #:TX2275000 Fraction by Wt: 18.0% OSHA PEL:1000 PPM ACGIH TLV:ASPHYXIANT; 9192 =========== Hazards Identification ========================== Effe cts of Overexposure: IRRITATION OF EYES AND RESPIRATORY TRACT. POSSIBLE HEADACHES AND DIZZINESS. First Aid:FUMES--MOVE AFFECTED TO FRESH AIR, RESTORE BREATHING, GET AID.

MEDICAL AID. EYE CONTACT--FLUSH THOROUGHLY WITH WATER, GET MEDICAL

============ Fire Fighting Measures =========================

Flash Point:-2.2F Lower Limits:1.0

Extinguishing Media:CO2, DRY CHEMICAL OR FOAM

Fire Fighting Procedures:USE

Unusual Fire/Explosion Hazard: KEEP FROM HEAT, SPARKS OR OPEN FLAME.CLOSED CONTAINERS MAY EXPLODE IF EXPOSED TO EXTREME HEAT OR **FIRE** ======== Accidental Release Measures ============ Spill Release Procedures: ELIMINATE SOURCES OF IGNITION --- VENTILATE AREA ============= Handling and Storage ================= Handling and Storage Precautions: STORE BELOW 120F. KEEP CONTAINERS AWAY FROM HEAT AND **OPEN FLAME** Other Precautions: AVOID INHALATION OF SPRAY MIST. DO NOT TAKE **INTERNALLY** ====== Exposure Controls/Personal Protection ======== Respiratory Protection: PAINT SPRAY MASK Ventilation: PROVIDE VENTILATION TO KEEP VAPORS BELOW TLV Supplemental Safety and Health ======== Physical/Chemical Properties =========== HCC:V3 Boiling Pt:B.P. Text:-10F Vapor Density:1+ Spec Gravity:0.9 Evaporation Rate & Evaporation R Solubility in Water: NONE ========== === Stability and Reactivity Data ========= Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products: CARBON MONOXIDE FUMES ON IGNITION ======= Disposal Considerations ============ Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH LOCAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS. Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense.

WATER SPRAY TO COOL CLOSED CONTAINERS

EXPOSED TO HEAT.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.