View NSN Online: https://aerobasegroup.com/nsn/8030-00-874-5875

DOW CORNING CORPORATION -- 4 ELECTRICAL INSULATING COMPOUND -- 8030-00-874-5875

============= Product Identification ========================

Product ID:4 ELECTRICAL INSULATING COMPOUND

MSDS Date:06/09/1992

FSC:8030

NIIN:00-874-5875

MSDS Number: BFTKN === Responsible Party ===

Company Name: DOW CORNING CORPORATION

Address:3901 SOUTH SAGINAW ROAD

City:MIDLAND

State:MI

ZIP:48686-5601 Country:US

Info Phone Num:517-496-6000

Eme

rgency Phone Num:517-496-5900

Preparer's Name: JACK L SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name: DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997 Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

======= Composition/Information on Ingredients ========

Ingred Name: SILICON DIOXIDE, CELITE 322

CAS:7631-86-9

RTECS #:VV3100000 Fraction by Wt: 9% OSHA PEL:80 MG/CUM ACGIH TLV:0.2 MG/CUM

====== Hazards I

dentification ============
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: DISCOMFORT W/MILD REDNESS & DRYNESS. INGESTION: LARGE AMOUNTS MAY CAUSE DIGESTIVE DISCOMFORT. Explanation of Carcinogenicity:NONE
======================================
First Aid:EYES: FLUSH W/WATER. SKIN: WIPE OFF & FLUSH W/WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.
==== =================================
Flash Point Method:CC Flash Point:>200F/93C Extinguishing Media:WATER, WATER FOG, FOAM Fire Fighting Procedures:USE SCBA & PROTECTIVE CLOTHING
======== Accidental Release Measures =========
Spill Release Procedures:REMOVE PRODUCT & USE ABSORBENT MATERIAL TO TAKE CARE OF ANY OIL-LIKE RESIDUE.
============ Handling and Storage ==============
Handling and Storage Precautions:USE REASONA BLE CARE & CAUTION. USE AT ELEVATED TEMPS, OR AEROSOL/SPRAY APPLICATIONS, MAY REQUIRE ADDED PRECAUTIONS. Other Precautions:TRACES OF FORMALDEHYDE (CARCINOGEN) MAY FORM IF HEATED IN AIR ABOVE 300F/149C.
====== Exposure Controls/Personal Protection ========
Ventilation:MECHANICAL (GENERAL): RECOMMENDED Eye Protection:SAFETY GLASSES Work Hygienic Practices:WASH THOROUGHLY BEFORE EATING OR SMOKING & AT THE END OF SHIFT. Supplemental Safety and Health
=======================================

== Physical/Chemical Properties =========

HCC:N1 Vapor Pres: