

PACIFIC AEROSOL INC -- TT-P-1757 GREEN 34151 PRIMER -- 8010-00-899-8825

=====  
Product Identification  
=====

Product ID:TT-P-1757 GREEN 34151 PRIMER

MSDS Date:01/01/1987

FSC:8010

NIIN:00-899-8825

MSDS Number: BFVHF

=== Responsible Party ===

Company Name:PACIFIC AEROSOL INC

Address:2424 MERCED ST.

Box:2112

City:SAN LEANDRO

State:CA

ZIP:94577-4211

Country:US

CAGE:2A230

=== Contractor Identification =

==

Company Name:AERVOE-PACIFIC CO, INC.

Address:1198 SAWMILL RD

Box:City:GARDNERVILLE

State:NV

ZIP:89410

Country:US

Phone:(702)-782-0100

CAGE:33451

Company Name:PACIFIC AEROSOL INC

Address:REPLACED BY CAGE CODE 33451

Box:2112

CAGE:2A230

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 19%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:ETHYL

ACETATE (SARA III)  
CAS:141-78-6  
RTECS #:AH5425000  
Fraction by Wt: 12%  
OSHA PEL:400 PPM  
ACGIH TLV:400 PPM; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:METHYLENE CHLORIDE (SARA III)  
CAS:75-09-2  
RTECS #:PA8050000  
Fraction by Wt: 22%  
OSHA PEL:500 PPM/C,1000; Z2  
ACGIH TLV:50 PPM, A2; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ALIPHATIC THINNER  
Fraction by Wt: 19%

Ingred Name:CHROMIUM ION (CR 6+)  
CAS:18540-29-9  
RTECS #:GB6262000  
OSHA PEL:C, 0.1 MG/M3 (CRO3)  
ACGIH TL  
V:0.05 MG/M3 (CR);8990

=====  
Hazards Identification  
=====

Effects of Overexposure:EYE & RESPIRATORY TRACT IRRITATION. POSSIBLE  
HEADACHES & DIZZINESS

=====  
First Aid Measures  
=====

First Aid:FUMES:MOVE TO FRESH AIR, RESTORE BREATHING,GET MEDICAL AID  
EYE CONTACT:FLUSH THOROUGHLY W/WATER. GET MED AID.

=====  
Fire Fighting Measures  
=====

Flash Point:-19 C  
Lower Limits:1.0  
Extinguish

ing Media:CO\*2 DRY CHEMICAL OR FOAM

Fire Fighting Procedures:H\*2O MAY BE INEFFECTIVE; USE TO COOL HEAT EXPOSED CONTAINERS

Unusual Fire/Explosion Hazard:KEEP FROM SOURCES OF IGNITION.CLOSED CONTAINERS MAY EXPLODE IF EXPOSED TO EXTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. VENTILATE AREA.

===== Handling and Storage =====

Handling and Storage Precautions:STORE B ELOW 120F KEEP CONTAINERS FORM SOURCES OF IGNITION.

Other Precautions:AVOID INHALATION OF SPRAY MIST. DO NOT TAKE INTERNALLY. WHEN INVOLVED IN FIRE, METHYLENE CHLORIDE EMITS HIGHLY TOXIC FUMES(NFPA 49-1975 HAZARDOUS CHEMICALS DATA).

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPRVD RESP PROTECTION

Ventilation:PROVIDE VENT TO KEEP VAPORS BELOW THRESHOLD LIMIT VALUES

Supplemental Safety and Health

ADD HAZ INGRED: PROPANE,14%, ASPHYXIANT.

ISOBUTANE(2-METHYL-PROPANE)14%,500 PPM(MFR) INGREDIENT PERCENTS LISTED AREA % OF HAZARD INGRED IN LIEU OF TOTAL INGRED; FORMULA CHANGED APPROX JUNE81.KEY1:F1.

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:-10 F

Vapor Density:>1

Spec Gravity:0.9

Evaporation Rate & Reference:10 (BUTYL ACETATE)

Solubility in Water:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials t

o Avoid: YES

Hazardous Decomposition Products: CO FUMES ON IGNITION

===== Disposal Considerations =====

Waste Disposal Methods: IN ACCORDANCE W/LOCAL STATE & FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.