

H.B. FULLER COMPANY -- EPOXY CURING AGENT -- 8040-00-900-6296

=====
Product Identification
=====

Product ID:EPOXY CURING AGENT

MSDS Date:12/17/1986

FSC:8040

NIIN:00-900-6296

Kit Part:Y

MSDS Number: BFVLX

=== Responsible Party ===

Company Name:H.B. FULLER COMPANY

Address:1200 WALTERS BOULEVARD

City:VADNAIS HEIGHTS

State:MN

ZIP:55110

Country:US

Info Phone Num:612-481-3300

Emergency Phone Num:612-48

1-3300

Preparer's Name:JOHN R. DOLMAR

CAGE:9R359

=== Contractor Identification ===

Company Name:FULLER H B CO

Address:2400 KASOTA AVE

Box:City:ST PAUL

State:MN

ZIP:55108-1511

Country:US

Phone:612-645-3401

CAGE:92528

Company Name:H.B. FULLER COMPANY-FOSTER PRODUCTS DIVISION

CAGE:9R359

=====
Composition/Information on Ingredients
=====

Ingred Name:DIETHYLENE TRIAMINE

CAS:111-40-0

RTECS #:IE1225000

Fraction by Wt: 1-10%

OSHA PEL:1 PPM

ACGIH TLV:S, 1 PPM; 9192

Ingred Name:POLYAM

IDE RESIN

Fraction by Wt: >10%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NO ANTICIPATED CHRONIC EFFECTS.
Effects of Overexposure:EYES: STRONG IRRITANT.
SKIN: WILL CAUSE SEVERE IRRITATION,
STRONG DERMAL SENSITIZER. INHALATION: MAY CAUSE
RESPIRATORY IRRITATION.
Medical Cond Aggravated by Exposure:NON
E

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH IMMEDIATELY W/LARGE AMOUNTS OF WATER FOR 15
MINUTES. CALL PHYSICIAN.SKIN: WASH AFFECTED AREA W/SOAP & WATER.
LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE.

=====
===== Fire Fighting Measures =====

Flash Point:215 F/102 C
Lower Limits:2.0
Extinguishing Media:USE WATER SPRAY, FOAM, DRY CHEMICAL OR CARBON
DIOXIDE
Fire Fighting Procedures:PERSONS EXPOSED TO PRODUCT
S OF COMBUSTION
SHOULD WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE
EQUIPMENT.
Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:WEAR RUBBER GLOVES & WIPE UP W/ABSORBENT
MATERIAL.RESIDUE MAY BE REMOVED WITH A CHLORINATED SOLVENT.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY LOCATION.
Other Precautions:AVOID SKI

N CONTACT WITH PRODUCT AT ALL TIMES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED.

Ventilation:STANDARD INDUSTRIAL VENTILATION.

Protective Gloves:RUBBER GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:APPROPRIATE PROTECTIVE CLOTHING.

Work Hygienic Practices:LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE.

Supplemental Safety and Health

STRONG EYE AND SKIN IRRITANT; VAPORS HARMFUL; STRONG SENSITIZER.

=====

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products:INCOMPLETE COMBUSTION CAN YIELD LOW MOLECULAR WEIGHT HYDRO- CARBONS, CARBON MONOXIDE, NITROGEN COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR DISPOSE OF IN AN APPROVED INDUSTRIALLANDFILL

; CONSULT YOUR STATE OR LOCAL AUTHORITIES IN THE EVENT MORE RESTRICTIVE REQUIREMENTS APPLY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

y and

assume responsibility for the suitability of this information to their particular situation.