

CHEMICAL COMMODITIES AGENCY -- SODIUM SILICOFLUORIDE, TECHNICAL -- 6810-00-978-7201

=====
Product Identification
=====

Product ID:SODIUM SILICOFLUORIDE, TECHNICAL

MSDS Date:01/01/1987

FSC:6810

NIIN:00-978-7201

MSDS Number: BGBHT

=== Responsible Party ===

Company Name:CHEMICAL COMMODITIES AGENCY

Address:27447 PACIFIC STREET

City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Info Phone Num:714-864-231

0

Emergency Phone Num:714-864-2310

CAGE:60777

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

=====
Composition/Information on Ingredients
=====

Ingred Name:DISODIUM SILICO FLUORIDE

CAS:16893-85-9

RTECS #:VV8410000

Fraction by Wt: 100%

OSHA PEL:2.5 MG/M3 (F)

ACGIH TLV:2.5 MG/M3 (F); 8990

=====
Hazards Identification

=====
Effects of Overexposure:SKIN IRRITANT. CAN BE FATAL IF INGESTED.
INHALATION CAN CAUSE PULMONARY IRRITATION & DEATH.

=====
First Aid Measures =====

First Aid:SKIN: WASH WITH SOAP & WATER. EYES: FLUSH WITH WATER & SEE
DOCTOR IF REQ'D. INHAL: REMOVE TO FRESH AIR. INGESTION: CAUSE
VOMITING BY GIVING SOAP & WATER OR MUSTARD WATER. THEN GIVE LARGE
QUANTITIES OF LIME WATER. KEEP WARM & CALL DOCTOR.

=====
Fire Fighting Measures =====

Extinguishing Media:WATER
Fire Fighting Procedures:TOXIC MATERIAL PROCEDURES:WEAR SELF-CNTND
BRTHG APP.
Unusual Fire/Explosion Hazard:NONE KNOWN

=====
Accidental Release Measures =====

Spill Release Procedures:WEAR DUST RESPIRATOR & GOGGLES.SWEEP UP SPILL
MATL & PLACE IN CONTAINERS SUITABLE FOR SHIPMENT TO DISPOSAL AREA.

=====
Handling and Storage =====

Handling and Storage
Precautions:STORE IN COOL, DRY AREA, AWAY FROM
FEED OR FOODSTUFFS.
Other Precautions:ACCIDENT/FIRE INVOLVING THIS PRODUCT:DO NOT APPROACH
WITHOUT RESPIRATOR & GOGGLES. AVOID ANY CONTACT W THIS PRODUCT.
REMOVE & WASH CONTAMINATED CLOTHING. KEEP CONTAINERS COOL, TIGHTLY
CLOSED.

=====
Exposure Controls/Personal Protection =====

Respiratory Protection:DUST RESPIRATOR
Ventilation:LOCAL EXHAUST RECOMMENDED
Protective Gloves:RUBBER
Eye Protection:GOGGLES
Supplemental

Safety and Health

ITEM AS SUPPLIED MUST BE IN ACCORDANCE WITH AMERICAN WATER WORKS ASSOCIATION SPEC B-702-60-06768, 54.9 MINIMUM BY WEIGHT FLUORINE, BLUE COLOR.

===== Physical/Chemical Properties =====

HCC:T3

Boiling Pt:B.P. Text:DECOMPOSES

Vapor Pres:UNK

Spec Gravity:2.755

Solubility in Water:SLIGHT

Appearance and Odor:WHITE GRANULAR/CRYSTAL,ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid

id:YES

CYANIDES & ACTIVE METALS

Hazardous Decomposition Products:HYDROGEN FLUORIDE & SILICON TETRAFLUORIDE(A GAS)

Conditions to Avoid Polymerization:UNK

===== Disposal Considerations =====

Waste Disposal Methods:SHIP WASTE TO POSTED CHEMICAL DISPOSAL DUMP FOR DISPOSAL IAW LOCAL,STATE & FED REGULATIONS.MFR RECOMMENDS THAT LARGE QUANTITIES REQUIRE DISPOSAL TREATMENT.

Disclaimer (provided with this information by the compiling agencies):

This information

is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.