

BORDEN INC., KRYLON DEPT. -- KRYLON 1809 SCHOOL BUS YELLOW (NEW FORMULA) --  
8010-01-010-3259

=====  
===== Product Identification =====

Product ID:KRYLON 1809 SCHOOL BUS YELLOW (NEW FORMULA)

MSDS Date:01/01/1987

FSC:8010

NIIN:01-010-3259

MSDS Number: BGDCB

=== Responsible Party ===

Company Name:BORDEN INC., KRYLON DEPT.

Address:180 E BROAD ST

City:COLUMBUS

State:OH

ZIP:43215-3705

Country:US

CAGE:EO688

==

= Contractor Identification ===

Company Name:BORDEN CHEMICAL CO

Address:180 E BROAD ST

Box:City:COLUMBUS

State:OH

ZIP:43215-3705

Country:US

Phone:614-225-6124

CAGE:86142

Company Name:BORDEN INC., KRYLON DEPT

Address:FORD & WASHINGTON ST

City:NORRISTOWN

State:PA

ZIP:19404

Country:US

Phone:(215) 278-2456

CAGE:EO688

=====  
===== Composition/Information on Ingredients =====

Ingred Name:BUTYL ALCOHOL 0.2-2.5%

ACGIH TLV:S,C 50 PPM

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA

III)  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 8-17%  
OSHA PEL:200 PPM/300 STEL  
ACGIH TLV:200 PPM/300STEL 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)  
CAS:1330-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 6-14%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 PPM  
ACGIH TLV:100 PPM/150STEL;9394  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 2-3%  
OSHA PEL:200 PPM/150 STEL  
ACG  
IH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ACETONE (SARA III)  
CAS:67-64-1  
RTECS #:AL3150000  
Fraction by Wt: 36.5%  
OSHA PEL:1000PPM  
ACGIH TLV:750PPM/1000STEL;9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

==== Hazards Identification =====

Effects of Overexposure:INH;MAY BE HARMFUL;LIQ/VAP MAY IRRIT  
NOSE,THROAT,LUNGS. SKIN/EYES:IRRIT. INGEST:MAY BE HARMFUL

==== First Aid Measures =====

First Aid:INGEST;DO NOT INDUCE VOMITING;CALL PHYSICIAN IMMED.  
SKIN;IMMED FLUSH W/WATER FOR AT LEAST 15MIN;IF IRRIT PERSISTS,CALL  
A PHYSICIAN. EYES:IMMED FLUSH W/WATER 15 MIN W/EYELIDS APART;CALL  
MD. INH:REMOVE TO FRESH AIR;GIVE ARTIF RESP OR O\*2 IF NEC;CALL MD

===== Fire Fighting Measures =====

Flash Point:N/A AEROSOL  
Extinguishing Media:DRY CHEMICAL,CO\*2,FOAM. WATER MAY BE INEFFECTIVE  
Fire Fighting Procedures:USE WATER TO COOL FIRE EXPOS CANS.  
WEAR SCBA  
Unusual Fire/Explosion Hazard:EXTREM FLAM;UNDER PRESSURE. HI TEMP MAY  
BURST CANS;AVOID ALL HEAT/IGNIT SOURCES,DIRECT SUN.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES. SOAK UP  
W/ABSORBENT MATERIAL & REMOVE TO A CHEMICAL DISPOSAL AREA. PREVENT  
ENTRY INTO NATURAL BODIES OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE AT  
TEMPERATURES OVER  
120F. WASH THOROUGHLY AFTER HANDLING. AVOID PROLONGED OR REPEATED  
CONTACT W/EYES,SKIN OR CLOTHING.  
Other Precautions:USE W/DEQUATE VENTILATION. AVOID BREATHING VAPOR OR  
MIST. HANDLE IAW GOOD INDUSTRIAL HYGEINE & SAFETY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPRVD RESP PROT DEPENDING ON  
CONDITIONS OF USE/TLV EXPOS  
Ventilation:LOCAL EXHAUST IN VOLUME & PATTERN ADEQ TO KEEP BELOW TLV  
Protective Glo  
ves:IMPERVIOUS  
Eye Protection:GOGGLES IF CONTACT LIKELY  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V3  
Vapor Density:>1.0  
Spec Gravity: