

3M COMPANY- ELECTRICAL PRODUCTS DIVISION -- SCOTCHCAST 72-NI SPLICING KIT (PART A) --
5975-01-017-5697

===== Product Identification =====

Product ID:SCOTCHCAST 72-NI SPLICING KIT (PART A)

MSDS Date:02/17/1986

FSC:5975

NIIN:01-017-5697

Kit Part:Y

MSDS Number: BGDSW

=== Responsible Party ===

Company Name:3M COMPANY- ELECTRICAL PRODUCTS DIVISION

Address:3M CENTER

City:ST PAUL

State:MN

ZIP:55144-1000

Country:US

Emergency Phone Num:612-733-1110

Preparer's Name:S

CAGE:75037

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO ELECTRICAL PRODUCTS DIV

Address:3M AUSTIN CTR

Box:City:AUSTIN

State:TX

ZIP:78769-2963

Country:US

Phone:512-984-1800

CAGE:75037

Company Name:SAADY AND HILL ELECTRICAL SUPPLY CO.

Address:1622 COMMERCE ROAD

Box:24777

City:RICHMOND

State:VA

ZIP:23224-0777

Country:US

Phone:804-231-4405

CAGE:58121

===== Composition/Information on Ingredients =====

=====

Ingred Name:METHYLENE BISPHENYL ISOCYANATE (MDI) (SARA III)

CAS:101-68-8

RTECS #:NQ9350000

Fraction by Wt: 45%

Other REC Limits:0.005

OSHA PEL:C, 0.02 PPM

ACGIH TLV:0.005 PPM; 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:POLYOL (WT% RANGE 15-25%)

Fraction by Wt: 15%

Other REC Limits:NONE

Ingred Name:DIUNDECYL PHTHALATE (WT% RANGE 35-45%)

CAS:3648-20-2

RTECS #:TI1980000

Fraction by Wt: 40%.

===== Hazards Identification =====

Routes of Entry

: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY INDUCE RESPIRATORY SENSITAZATION,
AS THMA-LIKE EPISODES

Effects of Overexposure:EYE: MODERATE IRRITATION. SKN: MODERATE
IRRITATION. INHALE:MILD-MODERATE IRRITANT-MAY INDUCE ASTHMA TYPE
SYMPTOMS. INGEST:MODERATE IRRT, LOW ORAL TOXICITY. NOT: MIXTURE OF
PT A&B MAY CURE ON SKIN IF N OT PROMPTLY REMOVED.

Medical Cond Aggravated by Exposure:AY PREXISTNG AL
LERGY OR SENSITIVITY
CONDITION

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:270F/132C

Extinguishing Media:CO*2, FOAM, DRY CHEMICAL

Fire Fighting Procedures:USE FULL BODY PROTECTION AND SCBA PP MODE.
VAPORS, IF RELEASED,ARE IRRITATING AND HIGHLY TOXIC.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:FOLLOW ALL PRECAUTIONS GIVEN.POUR NEUTRALIZING

AGENT OVER SPILL AREA & REACT FOR 10 MIN. IF NEUTRALIZING AGENT NOT AVAILABLE, USE WATER SUBSTITUTE, REACT FOR 20-30 MIN. COLLECT W/ABSORBENT, PLACE INCL USABL DRUM.

Neutralizing Agent:MIX: 8% CONC AMMONIA, 2% LIQUID DETERGENT, 90% WATER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID EYE/SKIN CONTACT. USE ONLY W/ADEQUATE VENTILATION, LOCAL EXHAUST PREFERRED. AVOID USE IN CONFINED SPACES,OTHERWISE USE SCBA PP MODE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SCBA PP MODE IN CONFINED OR POORLY VENTED AREAS.

Ventilation:LOCAL EXHAUST PREFERRED

Protective Gloves:IMPERVIOUS, AS REQD

Eye Protection:GOGGLES

Other Protective Equipment:FULL SKIN PROTECTION & COVER

Supplemental Safety and Health

PART A OF TWO PART ENCAPSULANT SYSTEM. ENTRY PER 3M MSDS DOC#10-5573-0 DTD 17FEB 86, 3M ID# IS 80-6100-7208-6. ENCAPSULANT (SCOTCHAST 2104) IS CONTAINED IN T

WO-COMPARTMENT UNIPAK BAG WEIGHTING 94 GM (3.3 OZ) AND CONSISTING OF PARTS A&B.KEY01:N1.

=====
===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.05

Viscosity:17 P

Solubility in Water:REACTS

Appearance and Odor:GREEN, VISCOUS LIQUID

Percent Volatiles by Volume:0

=====
===== Stability and Reactivity Data =====

REACTS W/WATER, ALCOHOL, AMINES

Stability Condition to Avoid:EXCESS HEAT, IGNITION SOURCES

Hazardous Decomposition Products:CA

RBON & NITROGEN OXIDES, TRACE HCN &
DIPHENYLMETHANE DIISOCYANATE

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL OR INCINERATE IAW ALL LAWS & REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all
liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.