

HYSOL DIVISION, THE DEXTER CORPORATION -- PC29M, PART B -- 5970-01-034-3981

=====  
Product Identification  
=====

Product ID:PC29M, PART B

MSDS Date:01/01/1987

FSC:5970

NIIN:01-034-3981

MSDS Number: BGGHH

=== Responsible Party ===

Company Name:HYSOL DIVISION, THE DEXTER CORPORATION

Address:211 FRANKLIN ST.

City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Info Phone Num:716-372-6300

Emergency Phone Num:

716-372-6309

CAGE:14347

=== Contractor Identification ===

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

Company Name:HYSOL DIVISION, THE DEXTER CORPORATION

Box:312

CAGE:14347

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ALIPHATIC GLYCOL ETHER ESTER (1-15 WT%)

Fraction by Wt: 8%

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330

-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 8%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 PPM  
ACGIH TLV:100 PPM/150STEL;9394  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
Hazards Identification  
=====

Effects of Overexposure:EXCESS EXPOSURE TO VAPOR/MIST MAY RESULT IN TOXIC EFFECT; MINOR BURNING, ITCHING, REDNESS.

=====  
First Aid Measures  
=====

First Aid:EYE: FLUSH W/WATER; SKIN:WASH W/SOAP & WATER; INH:REMOVE V  
ICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFF;ING:DO NOT INDUCE VOMITING,ALTHOUGH VOMITING MAY STILL OCCUR,THEN KEEP HEAD DOWN BE LOW HIPS TO PREVENT ASPIRATION OF LIQ INTO LUNGS.

=====  
Fire Fighting Measures  
=====

Flash Point:81F/27.2C (TCC)  
Lower Limits:1  
Upper Limits:7  
Extinguishing Media:CO\*2, FOAM, DRY CHEM.  
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H\*20 SPRAY TO COOL CONTR.  
Unusual Fire/Explosion Hazard:NONE

=====  
=====  
Accidental Release Measures  
=====

Spill Release Procedures:REMOVE IGNITION SOURCES. PROVIDE VENTILATION AND RESPIRATORY PROTECTION. LARGE SPILLS MAY BE SCOOPED UP WITH NON-SPARKING TOOLS. SMALL QUANTITIES MAY BE PICKED UP WITH ABOSRBENT MATERIAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED,LOW FIRE RISK AREA. PROTECT FR HEAT,SHOCK KEEP CONTAINERS CLOSED.

=====

Exposure Controls/Personal Protection =====

Respiratory Protection: MASK OR RESPIRATOR FOR ORGANIC VAPORS AS  
NECESSARY.

Ventilation: PROVIDE MECHAN(GEN/LOCAL EXHAUST) VENT TO MAINTN