View NSN Online: https://aerobasegroup.gr/nsn/6750-01-048-4560 ALLIED PHOTO PRODUCTS CO, SUB OF ALLIED PRODUCTS -- 21003, BLEACH REPLENISHER PART B -- 6750-01-048-4560 Product ID:21003, BLEACH REPLENISHER PART B MSDS Date:09/15/1986 FSC:6750 NIIN:01-048-4560 MSDS Number: BGHSM === Responsible Party === Company Name: ALLIED PHOTO PRODUCTS CO, SUB OF ALLIED PRODUCTS Address:5440-A OAKBROOK PKY

City:NORCROSS

State:GA

ZIP:30093-2251 Country:US

Info Phone Num:404-448-6120

Emergency Phone Num:404-448-6120

CAGE:1CG79

=== Contractor Identification ===

Company Name: ALLIED PHOTO PRODUCT CO, SUB OF ALLIED PRODUCT CORP

Address:5440-A OAKBROOK PKY

Box:City:NORCROSS

State:GA

ZIP:30093-2251 Country:US

Phone:770-448-0250

CAGE:1CG79

======= Composition/Information on Ingredients ========

Ingred Name: FERRIC AMMONIUM ETHYLENE DIAMINE TETRAACETIC ACID

CAS:21265-50-9

Fraction by Wt: 40-60%

====== Hazards Ident

ification =========

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure: LOW HAZARD FOR INDUSTRIAL HANDLING.

Medical Cond Aggravated by Exposure: NONE KNOWN

First Aid:EYES-FLUSH W/WATER 15 MIN.GET MED ATTN. SKIN-FLUSH WELL W/WATER;IF IRRIT/REACTION DEVELOPS,GET MED ATTN. INGEST-GET IMMED MED ATTN, GIVING DETAILS OF AMT INGEST &

TOXICITY.
======================================
Flash Point:NONE Extinguishing Media:AS APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
Spill Release Procedures:WEAR PROTECT EQUIP. IF REGS PERMIT,FLUSH TO SEWER W/LGE AMTS WATER. OTHERWISE, ADD DRY ABSORB,CLEAN UP & PLACE IN APPROVED DOT CONTNR,LABEL & SEAL FOR DISPOSAL.
======= Handling and Storage ===============
Handling and Storage Precautions:KEEP TIGHTLY SEALED. STORE ABOVE 40F/4C.AVOID UNNECESSARY PERSONAL CONTACT & INCOMPATIBLE SUBSTANCES. WASH THOROUGHLY AFTER HANDLING. Other Precautions:DO NOT STORE OR CONSUME FOOD,DRINK OR TOBACCO IN AREA WHERE THEY MAY BECOME CONTAMINATED W/THIS MATL.
===== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE SHOULD BE NEEDED. Ventilation:GOOD GENERAL VENTIL ATION. Protective Gloves:IMPERVIOUS. Eye Protection:SAFETY GLASSES OR GOGGLES. Other Protective Equipment:AS NECESSARY TO PREVENT SKIN & EYE CONTACT. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:B3 Boiling Pt:B.P. Text:>212F/100C Vapor Pres:16 Vapor Density:0.6 Spec Gravity:1.31 pH:7.5 Evaporation Rate & mp; Reference:1 (WATER=1) Solubility in Water:COMPLETE Appearance and Odor:DEEP RED LIQ W/SLIGHT AMMONIACAL ODOR. Percent Volatiles b

========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG ALKALIES Stability Condition to Avoid:NONE KNOWN Hazardous Decomposition Products:AMMONIA
======= Disposal Considerations ===========

y Volume:50

Waste Disposal Methods: CONSULT PROPER FED, STATE & LOCAL REGULATORY AGENCIES TO ASCERTAIN PROPER DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies): This informat ion is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.