

PHIPPS PRODUCTS CORP -- DOWANOL DM SOLVENT -- 6850-01-057-6427

=====
Product Identification
=====

Product ID:DOWANOL DM SOLVENT
MSDS Date:01/01/1987
FSC:6850
NIIN:01-057-6427
MSDS Number: BGJNT
=== Responsible Party ===
Company Name:PHIPPS PRODUCTS CORP
Address:186 LINCOLN ST SUITE 502
City:BOSTON
State:MA
ZIP:02111-2403
Country:US
CAGE:86511
=== Contractor Identification ===
Company Name:PHIPPS
PRODUCTS CORP
Address:186 LINCOLN ST SUITE 502
Box:City:BOSTON
State:MA
ZIP:02111-2403
Country:US
Phone:OUT OF BUSINESS
CAGE:86511

=====
Composition/Information on Ingredients
=====

Ingred Name:2-METHOXYETHANOL (EGME) (SARA III)
CAS:109-86-4
RTECS #:KL5775000
Fraction by Wt: 95%
OSHA PEL:S, 25 PPM
ACGIH TLV:S, 5 PPM; 9192

=====
Hazards Identification
=====

Effects of Overexposure:EYE IRRIT, LIVER,LUNG & KIDNEY DAMAGE.

=====

=== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH
W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT
UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

===== Fire Fighting Measures =====

Flash Point:200F,93.3C(COC)
Extinguishing Media:WATER FOG, ALCOHOL FOAM, CARBON DIOXIDE,DRY
CHEMICAL.

Fire Fighting Procedures:WEAR SCBA & PROT CLTHNG
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB W/INERT MATL AND SHOVEL INTO CLOSED
DISPOSAL DRUM.FLUSH RESIDUE W/LG AMT OF WATER. DIKE TO RETAIN LG
SPILL. PICK UP W/PUMP/VAC AND PLACE IN DISPOSAL DRUM.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY AREA AWAY FROM
IGNIT SOU
RCES. AVOID SKIN & EYE CONTACT. DO NOT INHAL MIST OR
VAPOR. WASH THOROUGHLY AFTER HANDLING.
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP IF REQUIRED. NOT
NORMALLY NEEDED.
Ventilation:MECHANICAL RECOMMENDED.
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES
Other Protective Equipment:APRON, WORK CLTHG, EYE BATH
Supplemental Safety and Health
MSDS DATED 15 FEB 73. MSDS IS FM DOW CHEMICAL

=

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:381F,194C

Vapor Pres:0.2

Vapor Density:4.14

Spec Gravity:1.018

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR,COLORLESS LIQUID,SWEETISH ODOR

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIAL

Stability Condition to Avoid:NONE SPECIFIED BY MFG

Hazardous Decomposition Products:NONE

SPECIFIED BY MFG.

===== Disposal Considerations =====

Waste Disposal Methods:INCINRATE I/AW ALL LOCAL, STATE, FEDERAL
REGULATIONS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person ut

ilizing this

document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.