| N/P ARROL 3 CUT WHITE SHELLAC 8010-01-070-4549 Product ID:ARROL 3 CUT WHITE SHELLAC MSDS Date:01/01/1985 FSC:8010 NIIN:01-070-4549 MSDS Number: BGKKF === Responsible Party === CAGE:59973 === Contractor Identification === Company Name:CARROLL/LTD INC Address:2656 SALMON ST Box:City:PHILADELPHIA State:PA ZIP:19125-4034 Country:US CAGE:59973 |
|--|
| ======= Composition/Information on Ingredients ========  |
| Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT  |
| ======================================   |
| Effects of Overexposure:EYE, SKIN, THROAT IRRITANT. HEADACHE, DROWSINESS, INTOXICATIN  |
| ======================================   |
| First Aid:REMOVE TO FRESH AIR, GIVE ARTIFICIAL RESPIRATION IF NECESSARY. WASH SKIN WELL. FLUSH EYES 15 MINUTES WITH WATER. CALL DOCTOR. GIVE OXYGEN IF NECESSARY.  |
| ======================================   |
| Flash Point:50F, 10C TCC Lower Limits:4.3 Upper L imits:19.0 Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL Fire Fighting Procedures:WATER WILL SCATTER AND SPREAD FIREDO NOT  |
| USE.   |
| Unusual Fire/Explosion Hazard:KEEP FROM HEAT, SPARKS, FIRE, FLAME; USE EXPLOSION-PROOF ELECTRICAL EQUIPMENT; VENTILATED AREA   |
| ======== Accidental Release Measures =========   |
| Spill Release Procedures:REMOVE ALL SOURCES OF HEAT SPARKS. DO NOT BREATHE FUMES. AVOID BODILY CONTACT. CONTAIN SPILL IN DIKED AREA TO MINIMIZE VAPORS   |

====

| ========= Handling and Storage ===========   |
|--|
| Handling and Storage Precautions:STORE BELOW 100F DEGREES. USE GLASS, PLASTIC, LINED STEEL OR TIN CONTAINERS TO TRANSFER MATERIAL Other Precautions:NFPA BULLETIN 30 AND 77  |
| ====== Exposure Controls/Personal Protection ========  |
| Respiratory Protection:ALL PURPOSE CANISTER Ventilation:LOCAL, MECHANICAL, FLOOR AND LOW AREAS Protective Gloves:RUBBER Eye Protection:SAFETY GOGGLES Supplemental Safety and Health SOLVENT IS DENATURED ALCOHOL, TR590, DENATURED ALCOHOL  |
| ======================================   |
| HCC:F3 Boiling Pt:B.P. Text:176F,80C Vapor Pres:44 Vapor Density:1.6 Spec Gravity:0.9 Evaporation Rate & Description Rate & Des |
| ======== Stability and Reactivity Data =========   |
| Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIALS Hazardous Decomposition Products:CARBON MONOXIDE  |
| ======= Disposal Considerations ==========   |
| Waste Disposal Methods:MAY BE BURNED IN COMBUSTION CHAMBER BY ENGINEER   |

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this docum

ent should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.