

ANSUL FIRE PROTECTION,WORMALD U.S,INC. -- ANSULITE 3% AFFF (AFC-5-A) -- 4210-01-139-4972

=====  
Product Identification  
=====

Product ID:ANSULITE 3% AFFF (AFC-5-A)

MSDS Date:01/01/1987

FSC:4210

NIIN:01-139-4972

MSDS Number: BGNPZ

=== Responsible Party ===

Company Name:ANSUL FIRE PROTECTION,WORMALD U.S,INC.

Emergency Phone Num:715-735-7411

CAGE:03670

=== Contractor Identification ===

Company Name:AN

SUL INC

Address:ONE STANTON STREET

Box:City:MARINETTE

State:WI

ZIP:54143-2542

Country:US

Phone:715-735-7411

CAGE:03670

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIETHYLENE GLYCOL MONOBUTYL ETHER(OR BUTYL

CARBITOL),CAS#112-34-5.

CAS:112-34-5

RTECS #:KJ9100000

Fraction by Wt: 20%

Ingred Name:PROPRIETARY MIXTURE(HYDROCARBON

SURFACTANTS,FLUOROSURFACTANTS, & INORGANIC SALTS & WATER)

RTECS #:9999999ZZ

Fraction by Wt: 80%

=====  
Hazards  
Identification  
=====

Effects of Overexposure:MILD TRANSIENT IRRITANT TO EYE & SKIN.& MUCOUS  
MEMBRANES.

=====  
First Aid Measures  
=====

First Aid:EYE:FLUSH W/LARGE AMOUNTS OF WATER;SKIN:WASH W/SOAP &  
WATER;INH:REMOVE TO FRESH AIR,SEEK MEDICAL ATTENTION IF DISCOMFORT  
CONTINUES;ING:IF PATIENT CONSCIOUS,GIVE LARGE AMOUNTS OF WATER &  
INDUCE VOMITIN G,SEEK MEDICAL HELP.

=====  
Fire Fighting Measures  
=====

=====

Extinguishing Media:NONE

Fire Fighting Procedures:THIS IS AN EXTINGUISHING AGENT.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:RINSE FLOOR THOROUGHLY WITH WATER AS MATERIAL IS SLIPPERY.PREVENT MATL FROM REACHING SEWERS OR WATERWAYS TO AVOID NUISANCE FOAMING.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN ORIGINAL CONTAINER.DO NOT MIX

AGENTS.AVOID SKIN & EYE CONTACT.AVOID INGESTION.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:MECHANICAL RECOMMENDED

Protective Gloves:NONE

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:SAFETY SHOWER & EYE BATH

Supplemental Safety and Health

MSDS DATED 6-1-86. "INCOMPATABILITY":ANY MATL REACTS W/WATER.

===== Physical/Chemical Properties =====

HCC:N1

Boil

ing Pt:B.P. Text:206.6F/97C

Vapor Density:1

Spec Gravity:1.02

Evaporation Rate & Reference:0.48,BUAC=1

Solubility in Water:100%

Appearance and Odor:CLEAR STRAW COLORED LIQUID,MILD SWEET ODOR.

Percent Volatiles by Volume:95

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

REACTIVE METALS,ELECTRICALLY ENERGIZED EQ,SEE"SUPP"

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:NONE

===== Disposal Cons

iderations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims  
all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.