Product ID:TRITON X-100 SURFACTANT,6-1572

MSDS Date:06/20/1986

FSC:6850

NIIN:01-163-7635

MSDS Number: BGPMS === Responsible Party ===

Company Name:ROHM & HAAS COMPANY= Address:INDEPENDENCE MALL WEST

City:PHILADELPHIA

State:PA ZIP:19105 Country:US

Info Phone Num:215-592-3000

Emergency Phone Num:215-592-3000

CAGE:FO048

=== Contractor Identification ===

С

ompany Name:ROHM & HAAS COMPANY Address:INDEPENDENCE MALL WEST

City:PHILADELPHIA

State:PA ZIP:19105 Country:US

Phone:215-592-3000

CAGE:FO048

Company Name:ROHM AND HAAS CO Address:100 INDEPENDENCE MALL WEST

Box:City:PHILADELPHIA

State:PA

ZIP:19106-2399 Country:US

Phone:215-592-2521/215-592-3000

CAGE:77902

Company Name: WALTRON LTD

Address:50 TANNERY RD

Box:70

City:WHITEHOUSE

State:NJ

ZIP:08888-0070 Country:US

Phone:908-534-5654/FAX: 908-534-5694

CAGE:71229

======= Composition/Information o

n Ingredients =======
Ingred Name:OCTYLPHENOXYPOLYETHOXYETHANOL CAS:9036-19-5 RTECS #:MD0907600 Fraction by Wt: 100%
========== Hazards Identification ============
LD50 LC50 Mixture:LD50, RATS, ORAL: 1900 MG/KG Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:UNKNOWN IARC:UNKNOWN OSHA:NO Health Hazards Acute and Chronic:EYE CONTACT: SEVERELY IRRITATING TO EYES; POSSIBLY PERMANENT INJURY. SKIN CONTACT: MODERATELY
IRRITATING TO SKIN. Effects of Overexposure:SEE HEALTH HAZARDS Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYE AND SKIN CONTACT: FLUSH EYES WITH LARGE AMOUNT OF WATER FOR AT LEAST 15 MINUTES. GET PROMPT MEDICAL ATTENTION. FLUSH SKIN THOROUGHLY WITH WATER. REMOVE AND WASH CLOTHING BEFORE REUSE. INGESTION: D ILUTE BY GIVING 2 GLASSES OF WATER TO DRINK. SEE A PHYSICIAN. NEVER
GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
======================================
Flash Point Method:COC Flash Point:550F,288C Extinguishing Media:FOAM, OR CARBON DIOXIDE, ORDRY CHEMICAL, OR WATER SPRAY Fire Fighting Procedures:WEAR RESPIRATOR (PRESSURE-DEMAND, SELF-CONTAINED BREATHING APPARATUS, MSHS/NIOSH APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR. Unusual Fire/Explosion Hazard:EXPLOSIVE MIXTURES MAY FORM BY COMPOUNDING WITH STRONG OX IDIZING AND REDUCING AGENTS.
========= Accidental Release Measures =========
Spill Release Procedures:EVACUATE THE SPILL AREA. FLOOR MAY BE SLIPPERY; USE CARE TO AVOID FALLING. DIKE AND CONTAIN SPILL WITH INERT MATERIAL. SCOOP OR SHOVEL SOLID MATERIAL INTO A SUITABLE CONTAINER FOR RECOVERY OR DISPOSAL. KEEP DUST TO A MINIMUM.
=========== Handling and Storage =============
Handling and Storage Precautions:LOW TEMPERATURE STORAGE CAN CAUSE

HANDLING PROBLEMS. VISCOSITY OF MATERIAL WILL INCREASE.

Other Precautions:DO NOT TAKE CLOTHING HOME TO BE LAUNDERED. KEEP

SPILLS AND CLEANING RUNOFFS OUT OF MUNICIPAL SEWERS AND OPEN BODIES

OF WATER.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.

Ventilation: NORMAL ROOM VENTILATION.

Protective Gloves: IMPERVIOUS

Eye Protection: SPLASH PROOF GOGGLES

Other Protective Equipment: EYEWASH FACILITY, SAFETY SHOWER, P

ROTECTIVE CLOTHING

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

HUMAN EXPOSURE: PATCH TESTS OF UNDILUTED MATERIAL ON FIFTY (50)

SUBJECTS PRODUCED NO PRIMARY IRRITATION OR SENSITIZATION REACTION.

======== Physical/Chemical Properties ===========

HCC:N1

Boiling Pt:B.P. Text:520F;270C

Vapor Pres:1 (AIR=1) Spec Gravity:1.07

pH:6-8

Evaporation Rate & Department Reference: