

NASHUA CORPORATION -- XT-95,20;TONER. -- 6850-01-207-3923

=====
Product Identification
=====

Product ID:XT-95,20;TONER.

MSDS Date:01/26/1987

FSC:6850

NIIN:01-207-3923

MSDS Number: BGQPQ

=== Responsible Party ===

Company Name:NASHUA CORPORATION

Address:44-FRANKLIN STEET

City:NASHUA

State:NH

ZIP:03060-2665

Country:US

Info Phone Num:800-258-1370

Emergency Phone Num:603-880-5555

Preparer's Name:R.L.S

EVIGNY

CAGE:0EK44

=== Contractor Identification ===

Company Name:NASHUA CORP COMPUTER SUPPLIES DIVISION

Address:44 FRANKLIN ST

Box:City:NASHUA

State:NH

ZIP:03060-2665

Country:US

Phone:603-880-5555

CAGE:04833

Company Name:NASHUA CORPORATION

Address:44 FRANKLIN STREET

City:NASHUA

State:NH

ZIP:03061

Country:US

Phone:603-880-5555

CAGE:0EK44

=====
Composition/Information on Ingredients
=====

Ingred Name:STYRENE ACRYLIC COPOLYMER

Fraction by Wt: 80-90%

Ingred Name:CARBON BLACK

CAS

:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 10-20-3%
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3; 9192

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES
Health Hazards Acute and Chronic:ACUTE:NO KNOWN HEALTH HAZARD WHEN
INTENDED IN A COPY MACHINE:MAY IRRITATE EYES AAND RESPIRATORY TRACT
IN HEAVY DUST CONDITIONS.
Effects of Overexposure:IRRITATION OF EYES,RESPIRATORY TRACT MAY OCCUR
IN HEAVY DUST CONDITIONS.

Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

=====
First Aid Measures
=====

First Aid:REMOVE FROM EXPOSURE;WASH SKIN WITH SOAP,FLUSH EYES WITH
WATER,DRINK WATER IF INGESTED.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:WATER FOG,FOAM,DRY CHEMICAL,CO*2.
Fire Fighting Procedures:AVOID INHALATION OF SMOKE;USE NIOSH/MSHA
APPROVED SCBA;COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY

Unusual Fire/Explosion Hazard:MATERIAL CAN FORM EXPLOSIVE MIXTURE WHEN
SUSPENDED IN AIR.ALL IGNITION SOURCES SHOULD BE AVOIDED.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;VACUUM OR SWEEP
UP AS WITH ANY NON-TOXIC POWDER FOR PROPER DISPOSAL

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL&DRY AREA;AVOID EXTREME
HEAT AND STRONG OXIDIZERS

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST
Ventilation:NORMAL ROOM VENTILATION
Protective Gloves:AS REQUIRED
Eye Protection:SAFETY GLASSES
Other Protective Equipment:USE FULL EYES AND SKIN PROTECTION;AVOID DUST
INHALATION.
Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;AVOID
BREATHING DUST.
Supplemental Safety and Health
MSDS RECEIVED BY DGSC-SLM:JAN08,1988.

===== Phys
ical/Chemical Properties =====

HCC:N1
Melt/Freeze Pt:M.P/F.P Text:160F/71C
Spec Gravity:1.0
Solubility in Water:NEGLIGIBLE
Appearance and Odor:BLACK POWDER,FAINT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE WITH COMMON MATERIALS.
Stability Condition to Avoid:EXTREME HEAT,OPEN FLAME
Hazardous Decomposition Products:TOXIC DECOMPOSITION PRODUCTS FORMED ON
COMBUSTION.

===== Disposal Con
siderations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
documen

t should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.