## CALGON VESTAL LABORATORIES -- 1-STROKE VESPHENE -- 6840-01-212-3060

Product ID:1-STROKE VESPHENE

MSDS Date:10/13/1987

FSC:6840

NIIN:01-212-3060

MSDS Number: BGQRL === Responsible Party ===

Company Name: CALGON VESTAL LABORATORIES

Address:5035 MANCHESTER AVE

City:ST. LOUIS

State:MO ZIP:63110

Emergency Phone Num:314-535-1810 OR 314-862-2000(NIGHT)

Preparer's Name: R.C. JENTE

CAGE:19410

=== Contractor Identification ===

Company Na

me:STERIS CORPORATION, CALGON VESTAL DIV

Address:7501 PAGE AVE

Box:147

City:SAINT LOUIS

State:MO ZIP:63166 Country:US

Phone:800-548-4873 / 314-535-1810

CAGE:19410

======= Composition/Information on Ingredients ========

Ingred Name:2-PHENYLPHENOL (SARA III)

CAS:90-43-7

RTECS #:DV5775000 Fraction by Wt: 11.1%

Ingred Name: SODIUM O-BENZYL-P-CHLOROPHENATE

CAS:120-32-1

RTECS #:GO7175000 Fraction by Wt: 8.9%

Ingred Name: SODIUM P-TERTIARY AMYLPHENATE

CAS:80-46-6

RTECS #:SM6825000

Fract

========== Hazards Identification ============
LD50 LC50 Mixture:LD50 = 3.73 G/KG (RAT) Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:DILUTION MAY CAUSE SLIGHT IRRITATION TO EYES & SKIN. CHRONIC:NO AVAILABLE INFORMATION WAS FOUND. Effects of Overexposure:EYE/SKIN:SLIGHT IRRITATION; INH:MIST MAY CAUSE NASAL PASSAGE. Medical Cond Aggravated by Exposure:NONE STATED.
======================================
First Aid:EYE/SKIN:FLUSH WITH PLENTY OF WATER FOR 15 MINUTES,REMOVE CONTAMINATED CLOTHING BEFORE REUSE; INH:REMOVE TO FRESH AIR,CONTACT A PHYSICIAN IF IRRITATION PERSISTS; ING:DO NOT INDUCE VOMITING,DRINK LARGE QUANTITIES OF FLUID & CALL A PHYSICIAN.
======================================
Flash Point Method:CC Flash Point:>200F/93C Extinguishing Media:WATER,CO*2,FOAR,DRY CHEMICAL. Fire Fighting Procedures:NONE STATED. Unus ual Fire/Explosion Hazard:NONE STATED.
======== Accidental Release Measures ==========
Spill Release Procedures:SPILLS MAY BE CLEANED UP WITH FLOWING WATER.THIS IS A CLEANING & DISINFECTING PRODUCT. Neutralizing Agent:NONE
============ Handling and Storage =============
Handling and Storage Precautions:THIS PRODUCT WILL WITHSTAND AN

PERFORMANCE. IT MUST BE THOROUGHLY THAWED & AGITATE

ion by Wt: 2.3%

D.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:NORMAL ROOM VENTILATION. Protective Gloves:RUBBER. Eye Protection:SAFETY GLASSES OR GOGGLES. Other Protective Equipment:NONE Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:N1 Melt/Freeze Pt:M.P/F.P Text:15F/-9.4C Spec Gravity:1.08 pH:12.6 Solubility in Water:COMPLETE Appearance and Odor:BROWN LIQUID,MILD & P LEASANT ODOR. Percent Volatiles by Volume:64(WT)
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE STATED. Stability Condition to Avoid:NONE STATED. Hazardous Decomposition Products:CO,CO*2,SULFUR OXIDES.  ===================================

Waste Disposal Methods:WASTE SOLUTIONS MAY BE SEWERED.

Disclaimer (provided with this information by the compiling agencies): This information is formulat ed for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.