

B & B CHEMICAL CO., INC. -- B & B 786 -- 7930-00-128-7970

=====
Product Identification
=====

Product ID:B & B 786
MSDS Date:05/06/1987
FSC:7930
NIIN:00-128-7970
MSDS Number: BGSPF
=== Responsible Party ===
Company Name:B & B CHEMICAL CO., INC.
Address:875 WEST 20TH STREET
City:HIALEAH
State:FL
ZIP:33010
Info Phone Num:305-888-5247
Emergency Phone Num:305-888-5247
CAGE:EO030
=== Contractor Identif
ication ===
Company Name:B & B CHEMICAL CO.,INC.
CAGE:EO030
Company Name:B & B TRITECH, INC.
Address:875 WEST 20TH. STREET,
Box:City:HIALEAH
State:FL
ZIP:33010-2310
Country:US
Phone:305-888-5247
CAGE:21361

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM SILICATE
CAS:6834-92-0
RTECS #:VV9275000
OSHA PEL:NONE ESTABLISHED
ACGIH TLV:NONE ESTABLISHED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES

Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS IRRITATING TO BODY TISSUES.

Effects of Overexposure:IRRITATION TO SKIN & EYES.

Medical Cond Aggravated by Exposure:NONE REPORTED.

===== First Aid Measures =====

First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:WASH WITH SOAP & WATER.
INHALED:REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION OR OXYGEN
AS NEEDED. INGESTED:GIVE WATER,THEN INDUCE V
OMITING. REPEAT UNTIL
VOMIT IS CLEAR. GET IMMEDIATE MEDICAL ATTENTION.IF ANY SYMPTOMS
PERSIST OR ARE SEVERE,GET PROMPT MEDICAL CARE.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>200F/93C

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,WATER FOG.

Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Releas

e Procedures:WIPE UP,MOP UP,ABSORB WITH INERT MATERIAL.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL VENTILATED
AREA. AVOID TEMPERATURE EXTREME.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED. USE NIOSH/MSHA APPROVED
RESPIRATOR FOR DUST/INORGANIC MIST IF EXPOSED ABOVE PEL/TLV.

Ventilation:NORMAL ROOM VENTILATION SHOU
LD BE SUFFICIENT.

Protective Gloves:RUBBER,PLASTIC.

Eye Protection:SPLASH GOGGLES.

Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE AVOID ALL
UNNECESSARY CONTACT.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:200F/93C

Spec Gravity:1.07

Evaporation Rate & Reference:SLOWER THAN ETHYL ETHER

Appearance and Odor:BLUE LIQUID,MILD ODOR.

===== Stability and Reactivity Data =====

==

Stability Indicator/Materials to Avoid: YES

OXIDIZERS.

Stability Condition to Avoid: NONE REPORTED.

Hazardous Decomposition Products: NONE REPORTED.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE I/A/W FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.