View NSN Online: https://aerobasegroup.com/nsn/8030-01-290-5137

Product ID:PR1826 CLASS B & C PART A MSDS Date:07/14/1988 FSC:8030 NIIN:01-290-5137 Kit Part:Y **MSDS Number: BHFJJ** === Responsible Party === **Company Name: PRODUCTS RESEARCH & CHEMICAL CORPORATION** Address:5430 SAN FERNANDO ROAD Box:1800 City:GLENDALE State:CA ZIP:91209 Country :US Emergency Phone Num:818-240-2060 CAGE:8K647 === Contractor Identification === **Company Name: PRODUCTS RESEARCH & CHEMICAL CORPORATION** Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:800-228-5635 CAGE:8K647

Ingred Name:EPOXY NOVOLAC RESIN CAS:28064-14-4 Fraction by Wt: 30% OSHA PEL:NE ACGIH TLV:NE

Ingred Name:EPOXY RESIN CAS:15336-82-0 Fraction by Wt: 30% OSHA PEL:NE ACGIH TLV:NE

Ing

red Name:TRIMETHOXY, 1-2-PROPOXY-SILANE CAS:2530-83-8 RTECS #:VV4025000 Fraction by Wt: 5% OSHA PEL:NE ACGIH TLV:NE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure:EYES: IRRITTION. MAY CAUSE EYE DAMAGE. SKIN: LOCAL IRRITATION. MAY CAUSE ALLER- GIC SKIN RASH IN SENSITIZED INDIVIDUALS. INHALATION: RESPIRATORY IRRITATION. INGESTION: MAY

CAUSE NAUSEA, VOMITING, AND IN LARGE DOSES, LIVER AND KIDNEY DAMAGE

First Aid:EYES: FLUSH WITH LUKE WARM WATER 15 MIN., CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN. AND INGESTION: GIVE MILK ORWATER TO DRINK. CONSULT A PHYSICIAN.

=================== Fire Fighting Measures

Flash Point:NA Extinguishing Media:CO2, DRY CHEMICAL, WATER SPRAY Fire Fighting Procedures:USE COMPLETE PERSONAL PROTECTION Unusual Fire/Explosion Hazard:NONE KNOWN

Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH 1,1,1TRICHLOROETHANE.

====== Exposure Controls/Personal Protection ==========

Ventilation: GENERAL VENTILATION Protective Gloves: SOLVENT RESISTANT GLOVES Eye Protection:CHEMICAL GOGGLES OR FULL FACE SHIELD Supplemental Safety and Health NK

Boiling Pt:B.P. Text:NA Spec Gravity:1.45 Evaporation Rate & amp; Reference:NA Solubility in Water:SLIGHT

Stability Indicator/Materials to Avoid:YES AMINES Hazardous Decomposition Products:OXIDES OF CARBON

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONSCONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.