View NSN Online: https://aerobasegroup.gr/nsn/8010-00-298-2292

PRATT & LAMBERT, INC. -- ENAMEL ALK GLOSS OLIVE DRAB 14084 ID742416 -- 8010-00-298-2292

Product ID:ENAMEL ALK GLOSS OLIVE DRAB 14084 ID742416

MSDS Date:03/23/1988

FSC:8010

NIIN:00-298-2292

MSDS Number: BHMNJ === Responsible Party ===

Company Name: PRATT & LAMBERT, INC.

Address:16116 E 13TH ST

Box:2153 City:WICHITA

State:KS ZIP:67201 Country:US

Preparer's Name:W.A.

ELLISON CAGE:FO127

=== Contractor Identification ===

Company Name: PRATT & LAMBERT, INC/BUFFALO, NY 14240

Box:22

CAGE:FO127

Company Name: PRATT AND LAMBERT INC

Address:Box:6027 City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

======= Composition/Information on Ingredients ========

Ingred Name:LEAD CHROMATE (OSHA PEL FOR LEAD FROM 29CFR 1910.1025),(CRO3 CEILING 0.1 MG/M3)

CAS:7758-97-6

RTECS #:GB2975000

OSHA PEL:0.05 MG/M3 (PB)

ACGIH TLV:0.05MG/M3(

Ingred Name: VM&P NAPHTHA (LIGROINE)

CAS:8032-32-4

RTECS #:OI6180000

OSHA PEL:300 PPM/400 STEL ACGIH TLV:300 PPM; 9192

Ingred Name: MINERAL SPIRITS

(VAPOR PRESSURE 2 MMHG @ 20C)

CAS:64475-85-0

RTECS #:PY8240000

OSHA PEL:500 PPM 2950 MG/CU.M ACGIH TLV:100 PPM 525 MG/CU.M.

Ingred Name: CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000 OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3; 9192

Ingred Name: VOC. ORGANIC CMPD 4.0 LB/GAL LESS WATER & NPRS* 480 G/L

LESS WATER VOC. 10.1

LB/GAL SOLIDS 1212 G/L SOLIDS CALCU

RTECS #:9999999VO

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:YES | IARC:YES | OSHA:NO

Health Hazards Acute and Chronic:REPEAT/PROLONGED OVEREXP TO RELATIVELY INSOLUBLE CHROMATES-LUNG CANCER. TOLUENE-LIVER DAMAGE. OVEREXP TO LEAD-SEVERE DAMAGE TO BLOOD FORMING, NERVOUS, URINARY & REPROD SYS. ASPIRATION CAN CAUSE ASPHYXI ATION OR ANESTH

ETIC. OVEREXPSR TO

SOLVE-NTS CAN CAUSE PERMANENT BRAIN & NERV SYSTM DAMAGE.MISUSE CAN BE HARMFUL OR FATAL

Explanation of Carcinogenicity: IN LAB ANIMALS: KIDNEY, LUNG & SPLEEN DAMAGE.


Effects of Overexposure: INGST: GASTROINTESTINAL IRRI, NAUSEA, VOMIT,

ASPIRATION INTO LUNG CHEM PNEUMONITITS CAN BE FATAL; INHAL:

NOSE/THROAT IRRI. HI CONCENT CAN CAUSE CENTRL NERV SYSTDEPRESSION;

EYE: IRRITATION; SKIN: DEFAT TING AND IRRITATION OF SKIN.

CHARATERISTLOSS APPETITE, METALLIC



| CONTAINER SHOULD BE GROUNDED/BONDED TO RECEIVING CONTAINERS. DO NOT WELD, BRAZE, O R CUT ON EMPTY CONTAINERS. |
|---|
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:RESTRICTED AREAS USE A NIOSH APPROVED CHEMICAL CARTRIDGE RESPIRATOR. SPRAYING USE A MECHANICAL PREFILTER. IN CONFINED AREAS USE A NIOSH APPROVED AIR SUPPLIEDRESPIRATOR.GENERAL EXPOSURE TO CHEMICAL MAY NOT REQUIRE RESPIRATOR PROTECTION. Ventilat |
| ion:GEN DILUTION/LOCAL EXHAUST VENT SUFFICIENT VOL/PATTERN KEEP CONCEN HAZARD INGRED BELOW THE LOWEST EXPOSURE LIMIT Protective Gloves:PROLONGED USE SOLVENT IMPERMEABLE GLOVES Eye Protection:SAFETY GLASSES/CHEM GOGGLES/FACE SHIELDS Other Protective Equipment:NOT LIKELY TO BE NEEDED. AS REQUIRED TO PREVENT SKIN CONTACT |
| Work Hygienic Practices:WASH HANDS AND FACE THOROUGHLY BEFORE EATING, DRINKING OR SMOKING. Supplemental Safety and Health THIS PRODUCT, IF DISCARDED DIRECTLY, WOULD B |
| E CLASSIFIED A HAZARDOUS WASTE BASEDON ITS IGNITABILITY CHAR. THIS PRODUCT CONTAINS LEAD, WHICH, IF PRESENT IN WASTEAT 5.0 MG/1 OR MORE AFTER BEING EXTRACTE D, IS CONSIDERED EP TOXIC, AND THEREFOREA HAZARDOUS WASTE UNDER RCRA REGULATIONS. HAZARD WASTE NO. DOO8 |
| ====================================== |
| HCC:F4 Boiling Pt:B.P. Text:280-388 F Vapor Density:> AIR Evaporation Rate & Reference:SLOWER THAN ETHER Percent Volatiles by Volume:60 |
| ======== ====== Stability and Reactivity Data =============== |
| Stability Indicator/Materials to Avoid:YES STRONG ACIDS OR ALKALINE MATERIALS Stability Condition to Avoid:AVOID EXCESSIVE HEAT & SOURCES OF IGNITION. |
| Hazardous Decomposition Products:BURNING, INCLUDE WHEN HEATED BY WELD/CUTTING, WILL PRODUCE SMOKE/CARBON MONOXIDE/DIOXIDE. Conditions to Avoid Polymerization:KEEP AWAY FROM HEAT SPARKS AND FLAME |
| ========= Disposal Considerations ============= |
| Waste Disposal Met |

hods:DISPOSE OF IN ACCORDANCE W/FEDERAL,STATE,& LOCAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS. INCINERATE ONLY IN EPA PERMITTED FACILITY. CONTAMINATED ABSORBENT DISPOSED IN HAZARDOUS WASTE LAND FILL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate a nd

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.