

J. L. HOFFMAN CO., INC. -- LAUNDRY BLEACH -- 6850-00-063-2843

=====
Product Identification
=====

Product ID:LAUNDRY BLEACH

MSDS Date:05/01/1989

FSC:6850

NIIN:00-063-2843

MSDS Number: BHQGN

=== Responsible Party ===

Company Name:J. L. HOFFMAN CO., INC.

Box:8656

City:ALLENTOWN

State:PA

ZIP:18105

Country:US

Info Phone Num:215-432-4466

Emergency Phone Num:215-432-4466

Preparer's Name:I. HADJILOUKAS

C

AGE:JO948

=== Contractor Identification ===

Company Name:J. L. HOFFMAN CO., INC.

Box:8656

City:ALLENTOWN

State:PA

ZIP:18105

Country:US

Phone:215-432-4466

CAGE:JO948

Company Name:J.L. HOFFMAN CO. INC

Address:414 NORTH FULTON STREET

Box:8656

City:ALLENTOWN

State:PA

ZIP:18105

Phone:215-432-4455

CAGE:74381

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM DICHLOROISOCYANURATE ANHYDROUS

CAS:2893-78-9

RTECS #:XZ1900000

Fraction by Wt: 30%

Ingred Name:SODIUM PHO

SPHATE, TRIBASIC (SARA III)

CAS:7758-29-4

RTECS #:YK4570000

Fraction by Wt: 30%

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE EXTREME IRRITANT EYE DAMAGE MAY OCCUR. SKIN: IRRITANT. INHALATION: IRRITANT LUNG DAMAGE MAY OCCUR.

Effects of Overexposure:EYE: EXTREME IRRITANT EYE DAMAGE MAY OCCUR.

SKIN: IRRITANT. INHALATION: IRRITANT LUNG DAMAGE MAY OCCUR.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN: WASH WITH PLENTY OF WATER. INGESTION: DRINK LARGE QUANTITY OF WATER, CONTACT PHYSICIAN IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point:NA

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:THERMAL DECOMPOSITION CAN BE EXTINGUISHED BY FLOODING WITH WATER

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING & SELF-CONTAINED BREATHING APPARATUS

Unusual Fire/Explosion Hazard:NA

=====
===== Accidental Release Measures =====

Spill Release Procedures:COLLECT MATERIAL ONTO PAPER. DISSOLVE IN WATER AND NEUTRALIZE BEFORE DISPOSAL TO SEWER.

Neutralizing Agent:WEAK ACIDS

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN CO

OL DRY AREA. KEEP CONTAINER
TIGHTLY CLOSED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH RESPIRATOR FOR DUSTS
Ventilation:MECHANICAL
Protective Gloves:RUBBER OR PVC
Eye Protection:GOGGLES
Other Protective Equipment:RUBBER APRON AND BOOTS
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA
Decomp Temp:Decomp Text:464F,240C
Vapor Pres:NA
Vapor Density:NA
Spec Gravi
ty:NA
pH:9.0
Solubility in Water:APPRECIABLE
Appearance and Odor:WHITE GRANULAR POWDER WITH CHARACTERISTIC CHLORINE
SMELL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ORGANIC MATERIALS & STRONG ACIDS MAY RESULT IN EMISSION OF CHLORINE GAS
Stability Condition to Avoid:STRONG ACIDS, REACTIVE METALS SUCH AS
ALUMINUM OR MAGNESIUM
Hazardous Decomposition Products:CHLORINE GAS

===== Disposal Considerations ==
=====

Waste Disposal Methods:COLLECT MATERIAL ONTO PAPER. DISSOLVE IN WATER
AND NEUTRALIZE BEFORE DISPOSAL TO SEWER.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek

competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.