

OSSIAN CHEMICAL, INC. -- SWEEPING COMPOUND, SAWDUST-SAND-MINERAL OIL --  
7930-00-132-5265

=====  
Product Identification  
=====

Product ID:SWEEPING COMPOUND, SAWDUST-SAND-MINERAL OIL

MSDS Date:03/12/1990

FSC:7930

NIIN:00-132-5265

MSDS Number: BHQGY

=== Responsible Party ===

Company Name:OSSIAN CHEMICAL, INC.

Address:635 SOUTH ELMWOOD AVE.

City:DAVENPORT

State:IA

ZIP:52802

Country:US

Info Phone Num:1-

319-324-3381

Emergency Phone Num:1-319-324-3381

CAGE:KO168

=== Contractor Identification ===

Company Name:OSSIAN CHEMICAL, INC.

Address:635 SOUTH ELMWOOD AVE.

City:DAVENPORT

State:IA

ZIP:52802

Country:US

Phone:1-319-324-3381

CAGE:KO168

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PALE OIL

Fraction by Wt: 10-26%

ACGIH TLV:5 MG/M3

Ingred Name:SAWDUST

Fraction by Wt: 22-40%

ACGIH TLV:NA

Ingred Name:SAND

CAS:4808-60-7

Fraction by Wt: 35-50%

ACGIH TLV:10 MG/M3

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:ALLERGIC DERMATITIS, USUALLY PRECEDED BY CONTACT DERMATITIS, MAY OCCUR AND SPREAD BEYOND AREA OF DIRECT CONTACT.

Effects of Overexposure:ALLERGIC DERMATITIS, USUALLY PRECEDED BY CONTACT DERMATITIS, MAY OCCUR AND SPREAD BEYOND AREAS OF DIRECT CONTACT.

=====  
First Aid Measures  
=====

First Aid:EYES: WASH WITH RUNNING WATER FOR 15 MINUTES AND GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER AND LAUNDRY CONTAMINATED CLOTHING. INGESTION: DO NOT INDUCE VOMITING AND GET MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC

Flash Point:> 148 F/ 64.44 C

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED SURFACES

TO PROTECT PERSONNEL.

Unusual Fire/Explosion Hazard:RESPIRATORY PROTECTION REQUIRED FOR FIRE FIGHTING PERSONNEL.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:COLLECT BY SCOOPING UP OR SWEEPING. DO NOT ALLOW TO DISCHARGE INTO WATERWAY OR SEWER SYSTEM.

Neutralizing Agent:NA

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT STORE IN AREAS OF EXTREME HEAT. AVOID WE

LD-ING, BURNING, ETC.

Other Precautions:ALWAYS WASH HANDS AND FACE WITH SOAP AND WATER BEFORE EATING, DRINKING OR SMOKING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.

Ventilation:LOCAL EXHAUST IS ADEQUATE.

Protective Gloves:PLASTIC/COTTON TO AVOID PROLONG CONTACT

Eye Protection:GLASSES/GOGGLES, PREVENT ENTRY INTO EYES

Other Protective Equipment:SHOES AND CLOTHING TO AVOID PROLONGED SKIN CONTACT.

Supplemental Safety and

Health

NK

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:.66 (H2O=1)

pH:NA

Evaporation Rate & Reference:NA

Solubility in Water:INSOLUBLE.

Appearance and Odor:SLIGHT OIL ODOR, LIGHT MEDIUM TAN COLOR.

Percent Volatiles by Volume:NA

Corrosion Rate:NA

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materia

Is to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:AVOID HEAT, OPEN FLAMES AND OXIDIZING.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND OXIDES.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:APPROVED SANITARY LANDFILL. DO NOT PERMIT ENTRY INTO WATER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defe

nse. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.