View NSN Online: https://aerobasegroup.gr/nsn/6810-01-313-9539

Product ID: BIOSPERSE 250SP MICROBIOCIDE MSDS Date:10/14/1986 FSC:6810 NIIN:01-313-9539 **MSDS Number: BHYPH** === Responsible Party === Company Name: DREW CHEMICAL CORP, DIV OF ASHLAND CHEMICAL CO Address: ONE DREW CHEMICAL PLAZA **City:BOONTON** State:NJ ZIP:07005 Country:US nfo Phone Num:201-263-7600 Emergency Phone Num:201-263-7600 CAGE:52454 === Contractor Identification === Company Name: DREW CHEMICAL CORP, DIV OF ASHLAND CHEMICAL CO Address: ONE DREW CHEMICAL PLAZA Box:City:BOONTON State:NJ ZIP:07005 Country:US Phone:606-324-1133 CAGE:52454 Ingred Name:5-CHLORO-2-METHYL-4-ISOTHIOAZOLIN-3-ONE

CAS:26172-55-4 RTECS #:NX8156850 Fraction by Wt: 4% Other REC Limits:SEE SUPPLEMENT DATA

Ingred Name:2-

METHYL-4-ISOTHIAZOLIN-3-ONE CAS:2682-20-4 RTECS #:NX8157000 Fraction by Wt: 1% Other REC Limits:SEE SUPPLEMENT DATA

Ingred Name:MAGNESIUM NITRATE CAS:10377-60-3 RTECS #:OM3750000 Fraction by Wt: 8-9% Other REC Limits:SEE SUPPLEMENT DATA

Ingred Name:MAGNESIUM CHLORIDE, ANHYDROUS CAS:7786-30-3 RTECS #:OM2800000 Fraction by Wt: 4-5% Other REC Limits:NONE SPECIFIED

Ingred Name:SILICA GEL (AMORPHOUS SILICA) CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 47-53% Other REC Limits:NONE SPECIFIED OS HA PEL:10 MG/CUM TDUST 9091 ACGIH TLV:10 MG/CUM TDUST 9091

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: CAUSES IRRITATION,SENSITIZATION, POSSIBLE BURNS BY CONTACT OR ABSORPTION IN ALL ORGANS. INGESTION MAY CAUSE INJURY TP GASTROINTESTINAL TRACT, POSSIBLY DEATH. CHRONIC: TOXIC LEVELS AMY RESULT FR OM PROLONGE D OR REPEATED EXPOSURE. Effects of Overexposure:IRRITATION, PAIN, BURNS IN EXPOSED ORGANS. Medical Cond Aggravated by Exposure:ANY PREEXISTING ALLERGY, SENSITIVITY, OR ORGAN DYSFUNCTION.

First Aid:EYE: INMMEDIATLY FLUSH 15 MINUTES WITH AMPLE WATER, KEEPING EYELIDS OPEN. SKIN:FLUSH IMMEDIATELY WITH AMPLE WATER 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE.INHALATION:REMOVE TO FRESH AIR, GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS REQUIRED. INGESTION: DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE LARGE AMT MILK,EGG WHITE, GELATIN SOLN, WATER. CALL PHYSICIAN PROMPTLY ALL CASES.

Lower Limits:NOT APPLICAE Upper Limits:NOT APPLICAE Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WH EN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. Spill Release Procedures: SWEEP UP SMALL SPILLS. EVACUATE SPILL AREA, CONFINE SPILL, APPLY NEUTRALIZER SOLUTION TO SPILL AREA AND DIKE MATERIAL, IF USED. COLLECT RESIDE AND WASH DOWN AREA. Neutralizing Agent: PREPARE FRE SH 1.2LB SOD SULFITE + 7.9LB WATER + 0.9LB 37% HCL = 10LB SOLN PH=4 Handling and Storage Precautions: CORROSIVE MATERIAL! HANDLE BIOCIDE PACKETS CAREFULLY. WASH THOROUGHLY AFTER HANDLING. EMPTY CONTAINERS MAY BE HAZARDOUS, KEEP CONTAINERS CLOSED! Other Precautions: NONE SPECIFIED BY MANUFACTURER. Respiratory Protection: AIR SUPPLIED RESPIRATOR OR SCB A POSITIVE PRESSURE MODE AS REQUIRED BY WORKING CONDITIONS. Ventilation:LOCAL OR GENERAL MECHANICAL Protective Gloves:NEOPRENE Eye Protection: SAFETY GLASSES, GOGGLES, FACE SHIELD Other Protective Equipment: IMPERVIOUS CLOTHING AND BOOTS. Work Hygienic Practices: HANDLE PACKETS CAREFULLY. WASH THOUROUGHLY AFTER USING. WASHCONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health SUPPLIER RECOMMENDS FOR TOTAL ISOTHIAZOLONES (INGREDIENTS 1 AND 2) A TWA OF 0.1 MG/CUM AND A STEL O

F 0.3 MG/CUM. DREW MSDS #0196871-002 PREPARED 140CT86.

HCC:D1 Boiling Pt:B.P. Text:NOT APPLICE Melt/Freeze Pt:M.P/F.P Text:NOT APPLICE Vapor Pres:NOT APPLIE Vapor Density:NOT APPLIE Spec Gravity:0.25 - 0.75 pH:NOT AE Viscosity:NOT APPLICABE Appearance and Odor:YELLOW POWDER Percent Volatiles by Volume:25-40

Stability Indicator/Materials to Avoid:YES NON E SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.OPEN FLAMES Hazardous Decomposition Products:HYDROGEN CHLORIDE, SULFUR DIOXIDE

Waste Disposal Methods:BIOCIDE PACKETS DEACTIVATE WITHIN THREE DAYS AFTER REMOVAL FROM RESERVOIR. NEUTRALIZE ACTIVE MATERIAL, THEN FLUSH TO SEWER. INACTIVE MATERIAL MAY BE DISPOSED OF AS SOLID WASTE. FOLLOW ALL LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situati

on.