

NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC -- AEROSOL GREEN 14110 --  
8010-00-721-9483

===== Product Identification =====

Product ID:AEROSOL GREEN 14110  
MSDS Date:01/01/1987  
FSC:8010  
NIIN:00-721-9483  
MSDS Number: BJDSS  
=== Responsible Party ===  
Company Name:NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC  
Address:2193 E. 14TH STREET  
City:LOS ANGELES  
State:CA  
ZIP:90021  
Country:US  
Info Phone Num:213-627-2668  
Emergency Phone Num:213-627-2668  
CAGE:59986

=

== Contractor Identification ==  
Company Name:GROW GROUP INC DEVOE AND REYNOLDS CO DIV  
Address:4000 DUPONT CIRCLE  
Box:City:LOUISVILLE  
State:KY  
ZIP:40207-4802  
Country:US  
Phone:502-361-2536  
CAGE:97758  
Company Name:NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC  
Address:2193 E 14TH STREET  
Box:City:LOS ANGELES  
State:CA  
ZIP:90021-2843  
Country:US  
CAGE:59986

===== Composition/Information on Ingredients =====

Ingred Name:VINYL TOLUENE ALKYD  
  
Ingred Name:PIGMENTS AND BINDERS  
  
Ingre

d Name:ALIPHATIC HYDROCARBONS

Fraction by Wt: 26.0%

ACGIH TLV:400 PPM

Ingred Name:CHLORINATED HYDROCARBONS

Fraction by Wt: 34.0%

ACGIH TLV:200 PPM

Ingred Name:ISOBUTANE-PROPANE

Fraction by Wt: 30.0%

ACGIH TLV:800 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:INGESTION: NAUSEA. EYES: IRRITATION.

INHALATION: ANESTHETIC. AND SKIN: MINOR IRRITATION.

Effects of Overexposure:ING

ESTION: NAUSEA. EYES: IRRITATION.

INHALATION: ANESTHETIC. AND SKIN: MINOR IRRITATION.

===== First Aid Measures =====

First Aid:INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION. EYES: FLUSH WITH WATER FOR MINIMUM OF 5 MINUTES.

INHALATION: REMOVE TO FRESH AIR. CALL A PHYSICIAN. GIVE MOUTH-TO-MOUTH RESUCITATION IF BREATHING STOPS. AND SKIN: WASH WITH WATER, SEEK MEDICAL HELP.

===== Fire Fighting Measure

S =====

Flash Point:NR

Extinguishing Media:WATER FOG, STANDARD FOAM, CO2, DRY CHEMICAL AND HALON.

Fire Fighting Procedures:TEMPS >120F MAY CAUSE BURST/VENTING. KEEP CONTAINERS COOL. USE EQUIP/SHIELD TO PROTECT PERSONNEL AGAINST BURST/VENTING CONTAINERS. DO NOT PUNCTURE OR INCINERATE

Unusual Fire/Explosion Hazard:DO NOT USE NEAR OPEN FLAME, FIRE OR WHILE SMOKING.

===== Accidental Release Measures =====

Spill Release Procedures:MOP UP

, SOAK UP OR WIPE UP IMMEDIATELY.  
PROVIDE VENTILATION. DISPOSE.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE WHERE TEMPERATURE COULD EXCEED 120F.  
Other Precautions:USE AND FOLLOW LABEL DIRECTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ADEQUATE VENTILATION IS REQUIRED.  
Ventilation:RECOMMENDED. LOCAL EXHAUST IS ADEQUATE.  
Protective Gloves:REQUIRED FOR PROLONGED CONTACT.  
Eye Protection:SOLVENT RESISTANT.  
Other Protective Equipment:NORMAL PROTECTIVE CLOTHING.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Pres:40-50 @70F  
Vapor Density:> (AIR=1)  
Spec Gravity:0.976 (H2O=1)  
Solubility in Water:SLIGHT  
Appearance and Odor:PAINT/SOLVENT ODOR.

===== Stability and Reactivity Data =====

Stability Condition to Avoid:DO NOT STORE ABOVE 120 F(49C).

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT PUNCTURE OR INCINERATE "EMPTY" OR FULL CANS. ONCE SPILLS OR LEAKS ARE CLEANED UP. DISPOSE OF WASTE IN ACCORDANCE WITH GOVERNMENTAL ORDINANCES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and dis

claims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.