

ARDROX INC -- 971 -- 6850-01-263-4055

=====  
Product Identification  
=====

Product ID:971  
MSDS Date:06/16/1986  
FSC:6850  
NIIN:01-263-4055  
MSDS Number: BJDWL  
=== Responsible Party ===  
Company Name:ARDROX INC  
Address:16961 KNOTT AVE  
City:LA MIRADA  
State:CA  
ZIP:90638-6015  
Country:US  
Info Phone Num:714-739-2821  
Emergency Phone Num:714-739-2821/800-424-9300(CHEMTREC)  
Preparer's Name:ABAYOMI I. OWEI  
CAGE:  
23373  
=== Contractor Identification ===  
Company Name:BRENT AMERICA, INC.  
Address:16961 KNOTT AVE.  
Box:City:LA MIRADA  
State:CA  
ZIP:90638-6015  
Country:US  
Phone:714-739-2821  
CAGE:23373

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PHTHALATE ESTER  
Fraction by Wt: 25%  
Other REC Limits:5 MG/M3,MANUFACTURER

Ingred Name:AROMATIC PETROLEUM SOLVENT  
CAS:8002-05-9  
RTECS #:SE7449000  
Fraction by Wt: >30%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:1600 MG/M3

=====

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE-EYES:IRRITATION,  
SKIN:IRRITATION, INHALATION:CENTRAL NERVOUS SYSTEM DISORDERS,  
INGESTION:GASTROINTESTINAL TRACT IRRITATION.  
CHRONIC-EYES:IRRITATION, SKIN:IRRITATION, INHALATION:CENTRAL  
NERVOUS SYSTEM DISORDERS, INGESTION:IRRITATION.  
Explanation of Carcinogenicity:NONE OF THE COM  
POUNDS IN THIS PRODUCT IS  
LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.  
Effects of Overexposure:EYES:IRRITATION, SKIN:IRRITATION,  
INHALATION:HEADACHE, STUPOR, NAUSEA, DIZZINESS AND VOMITING,  
INGESTION:MAY CAUSE STOMACH UPSET.  
Medical Cond Aggravated by Exposure:SKIN DISEASES COULD BE AGGRAVATED  
BY REPEATED EXPOSURE.

=====  
First Aid Measures  
=====

First Aid:EYE:FLUSH W/WATER FOR AT LEAST 15 MIN, HOLD LIDS OPEN.  
SKIN:WASH WITH SOAP & WATER.  
ER. REMOVE CONTAMINATED CLOTHING AND  
LAUNDRER BEFORE REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE  
BREATHING IF NECESSARY . INGESTED:DO NOT INDUCE VOMITING OR GIVE  
EMETICS AND GET IMMEDIATE MEDICAL CARE. GIVE NOTHING BY MOUTH IF  
UNCONSCIOUS. IF IRRITATION PERSISTS OR IS SEVERE,SEE A DOCTOR.

=====  
Fire Fighting Measures  
=====

Flash Point Method:PMCC  
Flash Point:210F,99C  
Autoignition Temp:Autoignition Temp Text:800F  
Lower Limits:1.1  
Upper Limits  
:5.9  
Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.  
Fire Fighting Procedures:DON'T USE WATER SPRAY SINCE THIS MAY SPREAD  
HYDROCARBON FIRES. WARE SELF-CONTAINED BREATHING APPARATUS AND FULL  
PROTECTIVE CLOTHING. COOL CONTAINERS NEAR FLAMES  
Unusual Fire/Explosion Hazard:HANDLE AS COMBUSTIBLE MATERIAL, EXPLOSION  
MAY OCCUR FROM THE HEAT OF FIRE DUE TO VAPOR BUILD UP IN  
CONTAINERS.

=====  
Accidental Release Measures  
=====

Spill Release Proce

dures:WIPE/SOAK UP WITH CLOTH OR PAPER TOWEL OR  
INERT ABSORBENT. PUT IN DISPOSAL CONTAINER. REMOVE RESIDUE WITH  
WATER.

Neutralizing Agent:NONE

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED  
AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT  
CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions:STORE AWAY FROM HEAT, SPARKS, OPEN FLAMES AND  
OXIDIZERS.

=====  
===== Exposure C  
ontrols/Personal Protection =====

Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR RESPIRATOR.  
Ventilation:GENERAL ROOM VENTILATION IS NORMALLY ADEQUATE. USE LOCAL  
EXHAUST IF NECESSARY TO CONTROL EXPOSURE BELOW PEL/TLV.

Protective Gloves:NEOPRENE, NITRILE, VPC OR NATURAL RUBBER

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.  
INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:WASH HANDS BEFORE H  
ANDLING ANY FOOD FOR  
CONSUMPTION.

Supplemental Safety and Health  
AVOID PROLONGED OR REPEATED BREATHING OF VAPORS. AVOID REPEATED  
EXPOSURE OR CONTACT WITH SKIN.

=====  
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:450F,232C

Spec Gravity:0.9

Evaporation Rate & Reference: