View NSN Online: https://aerobasegroup.gr/nsn/6750-01-354-1029

EASTMAN KODAK CO -- 1230432 KODAK EKTACOLOR RA DEV/REPL, ALT 1 -- 6750-01-354-1029

======== Product Identification ============

Product ID:1230432 KODAK EKTACOLOR RA DEV/REPL, ALT 1

MSDS Date:06/14/1987

FSC:6750

NIIN:01-354-1029

MSDS Number: BJHRQ === Responsible Party ===

Company Name: EASTMAN KODAK CO

Address:343 STATE ST City:ROCHESTER

State:NY ZIP:14650

Info Phone Num: (716) 722-5151

Emergency Phone Num:(

716) 722-5151 CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name: WATER, H2O

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 60-65%

Ingred Name:LITHIUM SULFATE

Fraction by Wt: 5-10%

Ingred Name: POTASSIUM SULFITE

CAS:10117-38-1 RTECS #:WT353000 Fraction by Wt: 1-5%

Ingred

Name:4-(N-ETHYL-N-2-METHANESULFONYLAMINOETHYL)-2-METHYLPHENYLENEDIA MINE SESQUISULFATE MONOHYDRATE

RTECS #:PB4310000 Fraction by Wt: 15-20%

Ingred Name: SULFUR DIOXIDE (SARA III)

CAS:7446-09-5

RTECS #:WS4550000 Other REC Limits:2 PPM OSHA PEL:5 PPM/5 STEL

ACGIH TLV:2 PPM/5 STEL; 9293

========== Hazards Identification =================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OS

HA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: IRRITATION &

ALLERGIC REACTION. INHALATION: UPPER RESPIRATORY TRACT IRRITATION.

INGESTION: HARMFUL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure: EYES: IRRITATION. SKIN: IRRITATION & ALLERGIC REACTION. INHALATION: UPPER RESPIRATORY TRACT IRRITATION.

INGESTION: HARMFUL.

Medical Cond Aggravated by Exposure: ALLERGIC REACTION

First Aid: IN

HALATION: REMOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET MED ATT. EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. GET MED ATT. SKIN: FLUSH W/PLENTY OF WATER & WASH W/NON-ALKALINE ACID TYPE OF C LEANSER. GET MED ATT. INGESTION: IF CONSCIOUS, RINSE MOUTH/INDUCE VOMITING BY GIVING 1 OR 2 GLASSES OF WATER/SYRUP OF IPECAC. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. CALL PHYSICIAN.

============= Fire Fighting Measures ========================

Flash Point:

NONE Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CO2, FOAM Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard: FIRE & EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. ======== Accidental Release Measures ============== Spill Release Procedures:FLUSH TO SEWER W/LARGE AMOUNTS OF WATER. NEUTRALIZE W/BAKING SODA, SODIUM BICARBONATE. Neutralizing Agent: BAKING SODA, SODIUM BI **CARBONATE** ============ Handling and Storage =========================== Handling and Storage Precautions: KEEP FROM CONTACT W/OXIDIZING MATERIALS. KEEP CONTAINER TIGHTLY CLOSED. AVOID BREATHING & CONTACT W/EYES/SKIN/CLOTHING. USE W/ADEQUATE VENTILATION. Other Precautions: THE DIRECT INSTANTANEOUS DISCHARGE TO RECEIVING BODY OF WATER OF AN AMOUNT OF THIS FORMULATION WHICH WILL RAPIDLY PRODUCE, BY DILUTION, A FINAL CONCENTRATION OF 0.15 MG/L OR LESS. ISN'T EXPECTED TO CA

USE AN ADVERSE ENVIRONMENTAL EFFECT.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: A NIOSH-APPROVED ACID GAS RESPIRATOR SHOULD BE WORN IF NEEDED.

Ventilation:MECHANICAL: TYPICALLY 10 ROOM VOLUMES PER HOUR IS CONSIDERED GOOD GENERAL VENTILATION. LOCAL EXHAUST: TO KEEP