

CLIFTON ADHESIVE INC -- E-1293 MMM-A-121 -- 8040-00-165-8614

=====
Product Identification
=====

Product ID:E-1293 MMM-A-121

MSDS Date:09/14/1988

FSC:8040

NIIN:00-165-8614

MSDS Number: BJPXT

=== Responsible Party ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:282

City:WAYNE

State:NJ

ZIP:07474-0282

Country:US

Info Phone Num:201-694-0845

Emergency Phone Num:201-694-0845

CAGE:79833

===

Contractor Identification ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-0845; 973-694-0845

CAGE:79833

=====
Composition/Information on Ingredients
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #

:MN9275000
Fraction by Wt: 37%
Other REC Limits:NONE SPECIFIED
OSHA PEL:500 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 8%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACETONE (SARA III)
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 20%
Other REC Limits:NONE SPECIFIED
OSHA
PEL:1000PPM
ACGIH TLV:750PPM/1000STEL;9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NAUSEA AND/OR NARCOSIS. SEVERE
EYE BURNS. CHRONIC: MAY CAUSE NERVE DAMAGE OR SEVERE EYE BURNS. MAY
DAMAGE LIVER, KIDNEYS AND BRAIN. CONTAINS HEXANE WHICH MAY CAUSE
CENTRAL NERVOUS S
YSTEM EFFECT S, MAY DAMAGE PERIPHERAL NERVE
TISSUE. TERATOGEN.
Effects of Overexposure:IRRITATION TO EYES AND MUCOUS MEMBRANES. DRY
AND CRACKED SKIN. LIQUID INGESTION MAY RESULT IN VOMITING.
NUMBNESS, TINGLING AND WEAKNESS OF ARMS AND LEGS MAY OCCUR. MINOR
EMBRYOTOXIC/ FETOTOXIC EFFECTS IN LAB ANIMALS.
Medical Cond Aggravated by Exposure:RESPIRATORY AILMENTS, LIVER AND
KIDNEY CONDITIONS.

===== First Aid Measures =====

First Aid:SKIN: W

ASH WITH SOAP AND WATER. EYES: FLUSH EYES ABUNDANTLY WITH CLEAN WATER. INGESTION: DO NOT INDUCE VOMITING. REFER TO PHYSICIAN. EXCESSIVE INHALATION: REMOVE PATIENT TO FRESH AIR OR GIVE OXYGEN. USE CPR IF PATIENT IS NOT BREATHING. IN EMERGENCY SITUATIONS NOTIFY A PHYSICIAN IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point: