

HULS AMERICA INC. -- MIL-H-83282C;#0425600;HYDRAULIC FLUID -- 9150-00-149-7431
===== Product Identification =====

Product ID:MIL-H-83282C;#0425600;HYDRAULIC FLUID

MSDS Date:02/10/1989

FSC:9150

NIIN:00-149-7431

MSDS Number: BJRLC

=== Responsible Party ===

Company Name:HULS AMERICA INC.

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854

Country:US

Info Phone Num:201-763-7173

Emergency

Phone Num:201-763-7173

Preparer's Name:P.A. PARKER (DGSC-SSH)

CAGE:0DH22

=== Contractor Identification ===

Company Name:HUL AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854-0365

Country:US

Phone:201-763-7173

CAGE:0DHB8

Company Name:HULS AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854-0365

Country:US

Phone:908-981-5016

CAGE:0DH22

===== Composition/Information on Ingredients =====

Ingred Name:SYNTHETIC HYDROCARBON

ACGIH TLV

:NOT ESTABLISHED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF
EYES,SKIN,RESPIRATORY TRACT,CNS EFFECTS LIKE
HEADACHE,NAUSEA,VOMITING. CHRONIC:IRRITATION,DERMATITIS POSSIBLE.
Explanation of Carcinogenicity:NO DATA PER MSDS.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

=====
===== Fir
st Aid Measures =====

First Aid:SKIN:WASH WITH SOAP & WATER. EYES:FLUSH WITH PLENTY OF WATER
FOR ABOUT 15 MINUTES,CALL A PHYSICIAN IF NEEDED.INHALATION:REMOVE
TO FRESH AIR,CALL A PHYSICIAN. INGESTION:DO NOT INDUCE
VOMITING;CALL A PHYSICIAN IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:410F/210C
Lower Limits:1.0
Upper Limits:6.0
Extinguishing Media:WATER FOG,DRY CHEMICAL,FOAM,CO*2.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.
Unusual Fire/Explosion Hazard:EXPOSURE TO HEAT BUILDS UP PRESSURE IN
CLOSED CONTAINERS;COOL WITH WATER SPRAY.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;REMOVE ALL
IGNITION SOURCES;CONTAIN FREE LIQUID.USE SUITABLE INERT ABSORBENT
MATERIAL AND RECOVER FOR PROPER DISPOSAL.

=====
===== Handling and Storage =====

==

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA;KEEP AWAY FROM HEAT OPEN FLAMES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF PEL/TLV.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:IMPERVIOUS.

Eye Protection:CHEMICAL GOGGLES/FACESHIELD.

Other Protective Equipment:APRON,SAFETY SHOW,EYE-WASH FACILITIES.

Work Hygienic Practices:AVOI

D CONTACT WITH EYES & SKIN;DO NOT BREATHE

VAPORS/MIST;WASH THOROUGHLY AFTER EACH USE;DO NOT CONTAMINATED CLOTHES.

Supplemental Safety and Health

THIS MSDS COPIED FROM NSN 9150-01 -276-7781; SAME MFR.

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:520F/271C

Vapor Pres:0.02 MMHG

Vapor Density:>1.0

Spec Gravity: