## **IDEAL INDUSTRIES INC**

## MSDS Safety Information

\_\_\_\_\_ FSC: 9150 NIIN: 00-804-1036 MSDS Date: 07/29/1993 MSDS Num: BJRPP Product ID: WIRE LUBE WIRE PULLING LUBRICANT, ALL"31" SERIES MFN: 01 **Responsible Party** Cage: 30119 Name: IDEAL INDUSTRIES INC Address: BECKER PL City: SYCAMORE IL 60178 Info Phone Number: 815-895-5181 **Emergency Phone N** umber: 815-895-5181 Preparer's Name: NONE Proprietary Ind: Y Review Ind: Y Published: Y \_\_\_\_\_\_ Contractor Summary \_\_\_\_\_ Cage: 7R834 Name: CHESAPEAKE ASSOC. ENT. Address: 22 NEWPORT DR Citv: FOREST HILL MD 21050 Phone: 410-838-0260 Cage: 30119 Name: IDEAL INDUSTRIES INC Address: BECKER PL City: SYCAMORE IL 60178 Phone: 815-895-5181 Cage: 79542 Name: LAWRENCE F D ELECTRIC CO THE Address: 5739 WEBSTE R ST City: DAYTON OH 45414 Phone: 513-890-1059 \_\_\_\_\_ Item Description Information \_\_\_\_\_ Item Manager: S9G Item Name: LUBRICANT, WIRE Specification Number: NONE Type/Grade/Class: NONE Unit of Issue: GL UI Container Qty: 0 Type of Container: PAIL \_\_\_\_\_ Ingredients \_\_\_\_\_\_ Name: \*\*\* PROPRIETARY \*\*\*

\_\_\_\_\_\_

---

-----

\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_\_ LD50 LC50 Mixture: ORAL LD50 (RAT) IS UNKNOWN. Route Of Entry Inds - Inhalation: NO Skin: YES Ingestion: NO Carcinogenicity Inds - NTP: NO IARC: NO **OSHA: NO** Effects of Exposure: ACUTE: NONE NORMALLY EXPECTED. UPON PROLONGED CONTACT, MAY CAUSE TEMPORARY EYE DISCOMFORT. MICA, SODIUM HYDROXIDE, AND SODIUM NITRITE MAY BE HAZARDOUS IN LARG E DOSES. CHRONIC: NONE SPECIFIED BY MANUFA CTURER. Explanation Of Carcinogenicity: NONE. Signs And Symptions Of Overexposure: EYES: IRRITATION. Medical Cond Aggravated By Exposure: PERSONS WITH PRE-EXISTING CARDIOVASCULAR OR BONE MARROW DISEASE SHOULD NOT USE THIS PRODUCT. First Aid: EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS GET MEDICAL ATTENTION. SKIN: WASH AREA WITH SOAP AND WATER. INGESTION: ADMINISTER WATER OR MILK. GET MEDICAL ATTENTION. \_\_\_\_\_ \_\_\_\_\_ Handling and Disposal \_\_\_\_\_ Spill Release Procedures: WIPE UP, SHOVEL OR VACUUM SPILLED MATERIAL. CLEAN UP SPILL IMMEDIATELY AS THEY CAN BE DANGEROUSLY SLIPPERY. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. Waste Disposal Methods: COMPLY WITH FEDERAL, STATE, AND LOCAL REGULATIONS FOR SOLID LANDFILL. Handling And Storage Precautions: STORE AT TEMPERATURES BETWEEN 40-120F. AVOID FREEZING. **Other Precaution** s: KEEP AWAY FROM CHILDREN, INFANTS, AND PETS. \_\_\_\_\_ Fire and Explosion Hazard Information \_\_\_\_\_ Flash Point Method: COC Flash Point Text: NONE Lower Limits: NONE **Upper Limits: NONE** Extinguishing Media: USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING MATERIAL. Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. KEEP FIRE EXPOSED CONTAINERS COOL WITH

WATER. Unusual Fire/Explosion Hazard: NONE

\_\_\_\_\_

Control Measures \_\_\_\_\_\_ Respiratory Protection: IF TLV EXCEEDED, USE NIOSH RESPIRATOR. Ventilation: USE MECHANICAL(GENERAL) VENTILATION IN CLOSED AREAS AND LOCAL EXHAUST WHERE TLV IS EXCEEDED. Protective Gloves: USE NEOPRENE GLOVES. Eye Protection: WEAR SAFETY GLASSES OR SPLASH GOGGLES. Other Protective Equipment: EYE WASH STATION IN WORK AREA IS RECOMMENDED. Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. Supplemental Safety and Health: NONE \_\_\_\_\_ Physical/Chemical Properties \_\_\_\_\_ HCC: V6 B.P. Text: 212F,100C M.P/F.P Text: UNKNOWN Decomp Text: UNKNOWN Vapor Pres: UNKNOWN Vapor Density: UNKNOWN Spec Gravity: 0.8 PH: 6.5-8 Evaporation Rate & amp; Reference: UNKNOWN Solubility in Water: MODERATE Appea rance and Odor: TAN, FOAMY PASTE. MILD ODOR. Percent Volatiles by Volume: <90 Corrosion Rate: UNKNOWN \_\_\_\_\_ Reactivity Data \_\_\_\_\_

Stability Indicator: YES Stability Condition To Avoid: STORE AWAY FROM HEAT AND DIRECT SUNLIGHT. Materials To Avoid: STRONG OXIDIZING AGENTS AND STRONG ACIDS. Hazardous Decomposition Products: EXCESSIVE HEAT AND BURNING MAY RELEASE OXIDES OF CARBON AND NITROGEN.

Н

## azardous Polymerization Indicator: NO Conditions To Avoid Polymerization: WILL NOT OCCUR. \_\_\_\_\_ **Toxicological Information Ecological Information** \_\_\_\_\_ \_\_\_\_\_\_ **MSDS** Transport Information \_\_\_\_\_ ==== \_\_\_\_\_\_ Regulatory Information \_\_\_\_\_ \_\_\_\_\_ Other Information \_\_\_\_\_ \_\_\_\_\_ Transportation Information \_\_\_\_\_\_ Responsible Party Cage: 30119 Trans ID NO: 86233 Product ID: WIRE LUBE WIRE PULLING LUBR ICANT, ALL"31" SERIES MSDS Prepared Date: 07/29/1993 Review Date: 09/28/1994 **MFN: 1** Net Unit Weight: 6.7 LB/PAIL Multiple KIT Number: 0 Review IND: Y Unit Of Issue: GL Container QTY: 0 Type Of Container: PAIL Additional Data: CONTRACTORS 1 GALLON PAIL SHALL BE PACKAGED SIX PER COMPARTMENTIZED FIBERBOARD BOX. BOX SHALL CONFOR M TO PPP-B-636, STYLE AND CLASS CONTRACTORS OPTION, MARK CANS AND BOXES IAW MIL-STD-290, BAR CODE IAW MIL-STD-129. \_\_\_\_\_ \_\_\_ **Detail DOT Information** \_\_\_\_\_ DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION \_\_\_\_\_

**Detail IMO Information** 

\_\_\_\_\_

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

\_\_\_\_\_

**Detail IATA Information** 

\_\_\_\_\_

IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION \_\_\_\_\_ Detail AFI Information AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION \_\_\_\_\_ HAZCOM Label \_\_\_\_\_ Product ID: WIRE LUBE W **IRE PULLING LUBRICANT, ALL"31" SERIES** Cage: 30119 **Company Name: IDEAL INDUSTRIES INC** Street: BECKER PL **City: SYCAMORE IL** Zipcode: 60178 Health Emergency Phone: 815-895-5181 Label Required IND: Y Date Of Label Review: 09/28/1994 Status Code: C Label Date: 09/28/1994 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: CAUTION **Respiratory Protection IND: YES** Health Hazard: Slight Contact Hazard: Slight Fire Hazard: None Reactivity Hazard: None Hazard And Precautions: NO HEALTH HAZARDS NORMALLY EXPECTED. UPON PROLONGED CONTACT, MAY CAUSE TEMPORARY EYE DISCOMFORT. MICA, SODIUM HYDROXIDE, AND SODIUM NITRITE MAY BE HAZARDOUS IN LARGE DOSES. STORE AT TEMPERATURES BETWE EN 40-120F. AVOID FREEZING, FIRST AID: EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS GET MEDICAL ATTENTION. SKIN: WASH AREA WITH SOAP AND WATER. INGESTION: ADMINISTER WATER OR MILK. GET MEDICAL ATTENTION. TARGET ORGANS: UNKNOWN.

\_\_\_\_\_\_

## ==============

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America

and disclaims all liability for such use. Any person

utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.