

TEAM LABORATORY CHEMICAL CORPORATION -- TEAM 504 OVEN CLEANER (AEROSOL) --  
4940-01-063-7000

===== Product Identification =====

Product ID:TEAM 504 OVEN CLEANER (AEROSOL)  
MSDS Date:01/01/1987  
FSC:4940  
NIIN:01-063-7000  
MSDS Number: BJWBZ  
=== Responsible Party ===  
Company Name:TEAM LABORATORY CHEMICAL CORPORATION  
Address:323 SOUTH 22ND ST.  
Box:1351  
City:BISMARCK  
State:MD  
ZIP:58502  
Info Phone Num:(701  
) 255-3796  
Emergency Phone Num:(701) 255-3796  
CAGE:37912

=== Contractor Identification ===  
Company Name:TEAM LAB CHEM CORP  
Address:323 SOUTH 22  
Box:City:BISMARCK  
State:ND  
ZIP:58502  
Country:US  
Phone:701-255-3796  
CAGE:39712  
Company Name:TEAM LABORATORY CHEMICAL CORPORATION  
Address:323 SOUTH 22ND ST.  
Box:1351  
City:BISMARCK  
State:ND  
ZIP:58502  
Phone:(701) 255-3796  
CAGE:37912

===== Composition/Information on Ingredients =====

Ingred Name:AMMONIUM HYDROXIDE (SARA III)  
CAS:1336-21-6

RTECS #:BQ9625000  
Fraction by Wt: 0.5%  
Other REC Limits:25 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM HYDROXIDE (SARA III)  
CAS:1310-73-2  
RTECS #:WB4900000  
Fraction by Wt: 8%  
Other REC Limits:2MG/M3 CEILING NIOSH  
OSHA PEL:2 MG/M3  
ACGIH TLV:C 2 MG/M3; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION: BREATHING DIFFICULT,  
RESPIRATORY TRACT. EYES: STINGING.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:INHALATION: BREATHING DIFFICULT, RESPIRATORY  
TRACT. EYES: STINGING.

=====  
First Aid Measures  
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. SKIN/EYES: FLUSH W/WATER FOR  
15 MINUTES. INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TOC  
Flash Point:>150F  
Extinguishing Media:WATER

=====  
Accidental Release Measures  
=====

Spill Release Procedures:FLUSH W/WATER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DON'T STORE AT TEMPS >120F.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE AS LONG AS NOT USED IN SMALL ENCLOSED AREA.  
Ventilation:LOCAL EXHAUST VENTILA

PROTECTION IS ADEQUATE  
Protective Gloves: RUBBER  
Eye Protection: GOGGLES  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Pressure: 80 PSIG  
Specific Gravity: 1.06  
Evaporation Rate & Reference: (WATER = 1): 1  
Solubility in Water: COMPLETE  
Appearance and Odor: CLEAR TO LIGHT YELLOW LIQUID PUNGENT ODOR  
Percent Volatiles by Volume: 85%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
Stability Code  
Condition to Avoid: DON'T EXPOSE CAN TO HEAT OR TEMPS >120F

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.