

AMERICAN BRAIDING AND MFG CORP -- 340, 340BIL -- 5330-00-618-3221
===== Product Identification =====

Product ID:340, 340BIL
MSDS Date:01/01/1991
FSC:5330
NIIN:00-618-3221
MSDS Number: BJXMZ
=== Responsible Party ===
Company Name:AMERICAN BRAIDING AND MFG CORP
Address:RT 79 AND BEACON HILL RD
Box:397
City:MORGANVILLE
State:NJ
ZIP:07751
Country:US
Info Phone Num:201-591-0725
Emergency Phone Num:201-591-0725
CAGE:4R345
=== Contractor Identification ===
Company Name:AMERICAN BRAIDING AND MFG CORP
Address:247 OLD TAVERN ROAD
Box:City:HOWELL
State:NJ
ZIP:07731
Country:US
Phone:732-938-6333 ...FAX 6377
CAGE:4R345

===== Composition/Information on Ingredients =====

Ingred Name:ASBESTOS, CHRYSOTILE
CAS:12001-29-5
RTECS #:CI6478500
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.2 FIBERS/CC
ACGIH TLV:2 FIBERS/CC,A1; 9495

Ingred Name:TEFLON (TETRAFLUORO ETHYLENE POLYMER)
CAS:116-14-3
RTECS #:KX4025000
Other REC Limits:NONE SPECIFIED

=====

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:EXPOSURE TO PTFE FUMES ABOVE 500F CAN
CAUSE TEMPORARY FLU LIKE SYMPTOMS.
Explanation of Carcinogenicity:NTP:KNOWN TO BE CARCINOGENIC.
IARC:SUFFICIENT EVIDENCE THAT THE AGENT IS CARCINOGENIC TO HUMANS.
OSHA:CARCINOGEN.
Effects of Overexposure:NONE IMMEDIATE. LONG TERM EXPOSURE TO
ASBESTOS
CAN CAUSE MESOTHELIOMA (A LUNG DISEASE).
Medical Cond Aggravated by Exposure:RESPIRATORY DISEASE.NONE SPECIFIED
BY MANUFACTURER.

===== First Aid Measures =====

First Aid:NONE SPECIFIED BY MANUFACTURER.

===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE
Extinguishing Media:SOME OIL MAY SEEP FROM THIS MATERIAL SO USE THE
APPROPRIATE EXTINGUISHING MATERIAL.
Fire Fighting Procedures:NONE
Unusua
I Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:NORMAL CLEANUP.
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:NONE
Other Precautions:AVOID CREATING DUST AND FUMES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELECT APPROPRIATE RESPIRATORY PROTECTION FROM
TABLE I OF 1910.1001 BASED ON EMPLO

YEE EXPOSURE.
Ventilation:NONE
Protective Gloves:NONE
Eye Protection:NONE
Other Protective Equipment:NONE
Work Hygienic Practices:AVOID CREATING DUST AND FUMES.
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:T6
Spec Gravity:1.5
Solubility in Water:INSOLUBLE
Appearance and Odor:WHITE TO GRAYISH SHINY ROPE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS AND
ALKALIES.
Stability Condition to Avoid:AVOID TEMPERATURES EXCEEDING 600F.
Hazardous Decomposition Products:TETRAFLUOROETHYLENE FROM 800F,
HEXAFLUOROPROPYLENE FROM 850F AND CARBONYL FLUORIDE FROM 930F.

===== Disposal Considerations =====

Waste Disposal Methods:AS REQUIRED BY STATE, FEDERAL AND LOCAL
AGENCIES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of
Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.