Product ID:340, 340BIL, MIL-P-24377A, PACKING MATERIAL

MSDS Date:01/03/1991

FSC:5330

NIIN:00-618-3222

MSDS Number: BJXNB === Responsible Party ===

Company Name: AMERICAN BRAIDING AND MFG CORP

Address:247 OLD TAVERN ROAD

Box:397 City:HOWELL

State:NJ ZIP:07731 Country:US

Info Phone Num:201-591-0725

Emergency Phone Num:908-938-6333

С

AGE:4R345

=== Contractor Identification ===

Company Name: AMERICAN BRAIDING AND MFG CORP

Address:247 OLD TAVERN ROAD

Box:City:HOWELL

State:NJ ZIP:07731 Country:US

Phone:732-938-6333 ...FAX 6377

CAGE:4R345

====== Composition/Information on Ingredients ========

Ingred Name: ASBESTOS, CHRYSOTILE

CAS:12001-29-5 RTECS #:CI6478500

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:2 FIBERS/CC,A1; 9495

Ingred Name: TEFLON (TETRAFLUORO ETHYLENE POLYMER)

CAS:116-14-3

RTECS

======================================	
LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:EXPOSURE TO PTFE FUMES ABOVE 500F CAN CAUSE TEMPORARY FLU LIKE SYMPTOMS Explanation of Carcinogenicity:CLASSIFIED AS A HUMAN CARCINOGEN BY NTP AND OSHA AND "1A" BY IARC. Effects of	
Overexposure:USUALLY NO IMMEDIATE SYMPTOMS. LONG TERM EXPOSURE TO ASBESTOS CAN CAUSE MESOTHELIOMA (A LUNG DISEASE), L CANCER.	UNG
Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY DISEASE MAY BE AGGRAVATED BY EXPOSURE.	
======================================	
First Aid:REMOVE TO FRESH AIR IF EXPOSED TO PTFE FUMES.	
======================================	
Flash Point:NONFLAMMABLE Lower Limits:NONFLAMMABLE Upper Limi ts:NONFLAMMABLE Extinguishing Media:NONFLAMMABLE. USE MEDIA APPROPRIATE FOR SURROUNI	DING
FIRE. Fire Fighting Procedures:USE PROCEDURES SUITABLE FOR SURROUNDING FIRE.	
Unusual Fire/Explosion Hazard:SOME OIL MAY WEEP FROM FINISHED PRODUCT.	
========= Accidental Release Measures ===========	
Spill Release Procedures:NORMAL CLEANUP. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.	
======================================	
Handling and Storage Precaut	

#:KX4025000

Other REC Limits:NONE SPECIFIED

Other Precautions:AVOID CREATING DUST AND FUMES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:SELECT APPROPRIATE RESPIRATORY PROTECTION FROM TABLE I OF 1910.1001 BASED ON EMPLOYEE EXPOSURE. Ventilation:GENERAL (MECHANICAL) VENTILATION SHOULD BE ADEQUATE. Protective Gloves:NOT NORMALLY REQUIRED Eye Protection:SAFETY GLASSES Other Protective Equipment:NOT NORMALLY REQUIRED. Work Hygienic Practices:WASH WITH SOAP AND WA TER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING. Supplemental Safety and Health ASBESTOS IS BOUND IN PACKING MATERIAL AND SHOULD NOT BE A HAZARD UNLESS PRODUCT IS PHYSICALLY DAMAGED.
========= Physical/Chemical Properties ==========
HCC:N1 Boiling Pt:B.P. Text:NOT GIVEN Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:1.5 Evaporation Rate & DETERMINE SOLUBLE Appearance and Odor:WHITE TO GREYISH SHINEY ROPE Percent Volatiles by Volume:0 %
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG ACIDS AND ALKALIES Stability Condition to Avoid:TEMPERATURES ABOVE 600F Hazardous Decomposition Products:TETRAFLUORETHYLENE FORM 800F, HEXAFLUOROPROPYLENE FROM 850F AND CARBONYL FLUORIDE 930F ===================================
Waste Disposal Methods:DISPOSE OF IN ACCORD

ions:AVOID PHYSICAL DAMAGE.

ANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.