

H.L. BLACHFORD, INC. -- VIBRATION DAMPING COMPOUND,AQUAPLAS -- 8030-01-195-9785

=====
Product Identification
=====

Product ID:VIBRATION DAMPING COMPOUND,AQUAPLAS

MSDS Date:02/23/1990

FSC:8030

NIIN:01-195-9785

MSDS Number: BJXTQ

=== Responsible Party ===

Company Name:H.L. BLACHFORD, INC.

Address:1855 STEPHENSON HWY

City:TROY

State:MI

ZIP:48007

Country:US

Info Phone Num:313-689-7800

Emergency Phone

Num:313-689-7800

Preparer's Name:GEORGE KIANG

CAGE:NO186

=== Contractor Identification ===

Company Name:H L BLACHFORD INC

Address:1855 STEPHENSON HIGHWAY

Box:City:TROY

State:MI

ZIP:48033

Country:US

Phone:313-689-7800

CAGE:24825

Company Name:H.L. BLACHFORD, INC.

Address:1855 STEPHENSON HWY

City:TROY

State:MI

ZIP:48007

Country:US

Phone:313-689-7800

CAGE:NO186

=====
Composition/Information on Ingredients
=====

Ingred Name:BUTYL BENZYL PHTHALATE (SARA III)

CAS:85-68-7

RTECS #:T

H9990000

Fraction by Wt: 2-6%

Other REC Limits:NONE SPECIFIED

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:SILICATES

Fraction by Wt: 25-30%

Other REC Limits:(DUST/POWDER)

OSHA PEL:20 MPPCF

ACGIH TLV:20 MPPCF

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Effects of Overexposure:AT THE TIME THIS SHEET WAS COMPILED THIS PRODUCT WAS NOT KNOWN TO AGGRAVATE ANY KIND OF EXISTING MEDICAL CONDITION. HOWEVER, AS WITH ALL CHEMICALS, APPROPRIATE PRECAUTIONS SHOULD BE TAKEN TO LIMIT EXP OSURE.

===== First Aid Measures =====

First Aid:EYE CONTACT: FLUSH WITH WATER IMMEDIATELY FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN. SKIN CONTACT: WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. IF REDNESS OR IRRITATION DEVELOPS, CONSULT A P HYSICIAN. INGESTION:INDUCE VOMITING AT ONCE BY GIVING TWO GLASSES OF WATER AND PLACING FINGER AT BACK OF VICTIM'S THR OAT.

CALL PHYSICAN IMMED. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS VICTIM.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER, CO2

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE DEPARTMENT TURN OUT GEAR.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP AREA WITH WATER BEFORE SPILL DRIES.IF PRODUCT HAS DRIED

,SCRAPE UP AND PLACE IN AN APPROVED CONTAINER FOR
DISPOSAL IN A SANITARY LANDFILL.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP FROM FREEZING. KEEP DRUMS CLOSED
AND AIR TIGHT TO PREVENT SURFACE SKINNING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:WEAR SUITABLE NIOSH/MSHA APPROVED RESPIRATORY
SUITABLE FOR DUST AND OVERSPRAY WHERE EXPOSURE LIMITS ARE EXCEEDED.

Ventilation:US

E LOCAL EXHAUST AT THE POINT WHERE THE PRODUCT IS DRIED.

OTHERWISE, USE STANDARD PLANT VENTILATION.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SPLASH-PROOF SAFETY GOGGLES.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:17.54 @25C

Vapor Density:1.00018

Spec Gravity:1.40-1.46

pH:*

Evaporation Rate & Reference:1 (H2O =1)

Appearance and Odor:OFF WHITE PASTE HAVING MILD SWEET ODOR. OTHER
COLORS AVAIL:GREY,BLACK,GREEN.

Corrosion Rate:*9.2-9.7

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:KEEP FROM FREEZING. FREEZING MAY CAUSE
CONTAINERS TO BREAK OR SPLIT WHICH CAN LEAD TO A SPILL.

Hazardous Decomposition Products:OXIDES OF CARBON AND TOXIC MONOMER
WHEN BURNED.

=====
Disposal Considerations
=====

Waste Disposal Methods:IF PRODUCT IS IN LIQUI

D FORM THEN DISPOSE OF IT

BY INCINERATION.SPREAD THE PRODUCT ON A LARGE PIECE OF PLASTIC AND ALLOW IT TO DRY.IT CAN THEN BE DISPOSED IN A SANITARY LANDFILL.WHEN DISPOSING MATERIA L, FOLLOW FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information t

o be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.